

2021



SIGSAUER[™]
NEVER SETTLE

sigsauer.com

DEFENSE PRODUCTS

ADVANCED WEAPON SYSTEMS FOR DEFENSE

At SIG SAUER® our mission is to provide elite end users with the complete weapons system they need to prevail under any circumstance. By combining industry-leading product innovation, with decades of battle-tested experience, we have engineered the world's toughest, most accurate, most precise, and most dependable, pistols, rifles, electro-optics, suppressors, and ammunition available. Designed and built in the U.S.A. and ready to perform whenever and wherever the need arises.



M17



M18

SIG SAUER
NEVER SETTLE

SIG SAUER®, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000

An ISO 9001:2015 Registered Company. Manufacturing in the U.S.A.

All trademarks, service marks, trade names, trade dress, product names and logos appearing in this catalog are the property of their respective owners.
No trademark or service mark appearing in this catalog may be used without the prior written consent of the owner.

| PISTOLS | |
|--------------------------------|----|
| P320-M17E/M18E | 2 |
| P320 XSERIES | 3 |
| P320PRO SERIES | 4 |
| P320 RXP | 5 |
| P320 | 6 |
| P320 MODULAR HANDGUN | 7 |
| P365 | 8 |
| P365XL | 9 |
| P226 | 10 |
| P229 | 11 |
| SP2022 | 12 |
| RIFLES | |
| SIG MCX | 13 |
| SIG MCX RATTLER | 14 |
| SIG MCX MODULAR RIFLE PLATFORM | 15 |
| SIG MCX SPEAR | 16 |
| SIG LMG | 17 |
| SIG MMG | 18 |
| SIG MPX | 19 |
| SIG MPX RIFLE PLATFORM | 20 |
| SIG516 | 21 |
| SIG716i | 22 |
| SIG716 DMR | 23 |
| SIGM400 PRO | 24 |
| ELECTRO-OPTICS | |
| TANGO6 | 25 |
| SIERRA3 BDX | 26 |
| KILO BDX | 27 |
| ROMEO2 | 28 |
| ROMEO4T | 29 |
| ROMEO1PRO | 30 |
| ROMEO8T | 31 |
| JULIET | 32 |
| ALPHA MOUNTS | 33 |
| AMMUNITION | |
| PISTOL | 34 |
| RIFLE | 35 |
| SUPPRESSORS | |
| MOD-X PISTOL | 36 |
| SLX RIFLE | 37 |
| SLH RIFLE | 38 |
| ACCESSORIES | |
| PISTOL | 39 |
| RIFLE | 40 |
| TRAINING | |
| SIG SAUER ACADEMY | 41 |

M17E/M18E

THE CHOSEN ONE

Selected as the official sidearm of all branches of the U.S. Military for its uniquely innovative modularity, uncompromising performance, and unmatched capability - the M17/M18 have redefined the definition of the combat handgun forever.



Shown with optional ROMEO2 Red Dot sight.

M17 E

- ▲ Coyote Full-Size Slide/Carry Grip
- ▲ Night Sight Rear Plate w/SIGLITE® Front
- ▲ 119 mm/4.7" Barrel
- ▲ 17 Round Magazine (Optional 21 Round Magazine)
- ▲ Loaded Chamber Indicator
- ▲ Manual Safety
- ▲ Black Controls

Available in Black

9mm



M18 E

- ▲ Coyote Compact Slide/Carry Grip
- ▲ Night Sight Rear Plate w/Siglite® Front
- ▲ 99 mm/3.9" Barrel
- ▲ 17 Round Magazine (Optional 21 Round Magazine)
- ▲ Loaded Chamber Indicator
- ▲ Manual Safety
- ▲ Black Controls

Available in Black

9mm



CALIBER 9 MM

| SPECIFICATIONS | M17E | M18E |
|-------------------|-------------------|-------------------|
| OVERALL LENGTH | 203 mm / 8.0" | 183 mm / 7.2" |
| OVERALL HEIGHT | 140 mm / 5.5" | 140 mm / 5.5" |
| OVERALL WIDTH | 40.6 mm / 1.6" | 40.6 mm / 1.6" |
| BARREL LENGTH | 119 mm / 4.7" | 99 mm / 3.9" |
| SIGHT RADIUS | 167 mm / 6.6" | 147 mm / 5.8" |
| WEIGHT (WITH MAG) | 0.84 kg / 29.5 oz | 0.76 kg / 27.0 oz |
| MAG CAPACITY | 17 / 21 RDS | 17 / 21 RDS |

P320[®] XSERIES

THE STANDARD OF PERFORMANCE

XSERIES models include the enhanced XSERIES grip module with extended beavertail, 4-sided beveled magwell, and a deep trigger guard undercut. The flat trigger and optic-ready slide make the P320X stand above the rest.



- P320 XCOMPACT**
- ▲ XCOMPACT Grip Module / Sub-Compact Length Slide
 - ▲ Night Sight Rear Plate w/X-RAY3[®] Front
 - ▲ 91 mm / 3.6" Barrel
 - ▲ 15 Round Magazine
 - ▲ Loaded Chamber Indicator
 - ▲ Optional Curved Trigger



Optional Aluminum Flared Magwell
(Not compatible with XCOMPACT grip module)



CALIBER
9 MM



- P320 XCARRY**
- ▲ XCARRY Grip Module / Compact Length Slide
 - ▲ Night Sight Rear Plate w/X-RAY3 Front
 - ▲ 99 mm / 3.9" Barrel
 - ▲ Optional Magwell and Grip Weight Available
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Loaded Chamber Indicator
 - ▲ Optional Curved Trigger



- P320 XFULL**
- ▲ XCARRY Grip Module / Full Length Slide
 - ▲ Night Sight Rear Plate w/X-RAY3 Front
 - ▲ 119 mm / 4.7" Barrel
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Loaded Chamber Indicator
 - ▲ Optional Curved Trigger



- P320 XFULL LDC**
- ▲ XFULL Grip Module / Full Length Slide
 - ▲ Night Sight Rear Plate w/X-RAY3 Front
 - ▲ 119 mm / 4.7" Barrel
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Loaded Chamber Indicator
 - ▲ Optional Curved Trigger

| SPECIFICATIONS | XCOMPACT | XCARRY | XFULL | XFULL LDC |
|-------------------|-------------------|-------------------|-------------------|-------------------|
| OVERALL LENGTH | 178 mm / 7.0" | 188 mm / 7.4" | 208 mm / 8.2" | 208 mm / 8.2" |
| OVERALL HEIGHT | 134 mm / 5.3" | 140 mm / 5.5" | 140 mm / 5.5" | 140 mm / 5.5" |
| OVERALL WIDTH | 33.0 mm / 1.3" | 33.0 mm / 1.3" | 33.0 mm / 1.3" | 33.0 mm / 1.3" |
| BARREL LENGTH | 91 mm / 3.6" | 99 mm / 3.9" | 119 mm / 4.7" | 119 mm / 4.7" |
| SIGHT RADIUS | 140 mm / 5.5" | 147 mm / 5.8" | 167 mm / 6.6" | 167 mm / 6.6" |
| WEIGHT (WITH MAG) | 0.72 kg / 25.3 oz | 0.76 kg / 27.0 oz | 0.84 kg / 29.5 oz | 0.84 kg / 29.5 oz |
| MAG CAPACITY | 15 RDS | 17 RDS | 17 RDS | 17 RDS |

P320[®] PRO SERIES

THE STANDARD OF PERFORMANCE

XSERIES PRO models include the pro series optic-ready slide with dovetail sights which allows for co-witnessing with red dot optics, as well as enhanced XSERIES grip module with extended beavertail, 4-sided beveled magwell, and a deep trigger guard undercut. The flat trigger and optic-ready slide make the P320X stand above the rest.



- P320 XCOMPACT PRO**
- ▲ XCOMPACT Grip Module / Sub-Compact Length Slide
 - ▲ Dovetail Sight and Optic Cover Plate w/X-RAY3[®] Front
 - ▲ 91 mm / 3.6" Barrel
 - ▲ 15 Round Magazine
 - ▲ Optional Curved Trigger



Optional Aluminum Flared Magwell
(Not compatible with XCOMPACT grip module)



CALIBER
9 MM



- P320 XCARRY PRO**
- ▲ XCOMPACT Grip Module / Sub-Compact Length Slide
 - ▲ Dovetail Sight and Optic Cover Plate w/X-RAY3[®] Front
 - ▲ 99 mm / 3.9" Barrel
 - ▲ Optional Magwell and Grip Weight Available
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Optional Curved Trigger



- P320 XFULL PRO**
- ▲ XCARRY Grip Module / Compact Length Slide
 - ▲ Dovetail Sight and Optic Cover Plate w/X-RAY3 Front
 - ▲ 119 mm / 4.7" Barrel
 - ▲ Optional Magwell and Grip Weight Available
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Optional Curved Trigger



- P320 XFULL LDC PRO**
- ▲ FULL SIZE Grip Module / Full Length Slide
 - ▲ Dovetail Sight and Optic Cover Plate w/X-RAY3 Front
 - ▲ 119 mm / 4.7" Barrel
 - ▲ Optional Magwell and Grip Weight Available
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Optional Curved Trigger

| SPECIFICATIONS | XCOMPACT | XCARRY | XFULL | XFULL LDC |
|-------------------|-------------------|-------------------|-------------------|-------------------|
| OVERALL LENGTH | 178 mm / 7.0" | 188 mm / 7.4" | 208 mm / 8.2" | 208 mm / 8.2" |
| OVERALL HEIGHT | 134 mm / 5.3" | 140 mm / 5.5" | 140 mm / 5.5" | 140 mm / 5.5" |
| OVERALL WIDTH | 33.0 mm / 1.3" | 33.0 mm / 1.3" | 33.0 mm / 1.3" | 33.0 mm / 1.3" |
| BARREL LENGTH | 91 mm / 3.6" | 99 mm / 3.9" | 119 mm / 4.7" | 119 mm / 4.7" |
| SIGHT RADIUS | 140 mm / 5.5" | 147 mm / 5.8" | 167 mm / 6.6" | 167 mm / 6.6" |
| WEIGHT (WITH MAG) | 0.72 kg / 25.3 oz | 0.76 kg / 27.0 oz | 0.84 kg / 29.5 oz | 0.84 kg / 29.5 oz |
| MAG CAPACITY | 15 RDS | 17 RDS | 17 RDS | 17 RDS |

P320[®] RXP

JOIN THE RED DOT REVOLUTION

The new P320 RXP series is the next generation of pistol and optics solutions from SIG SAUER[®]. The RXP series combines the latest advancements in reflex optics, with the world's most innovative handgun. Featuring the new ROME01PRO™, each of the RXP series pistols delivers a new level of durability and performance. Available on both the standard and XSERIES P320 pistols, the RXP series are zeroed and ready to shoot, right out of the box allowing users to easily achieve a whole new level of accuracy and performance.



- P320 XFULL RXP**
- ▲ XCARRY Grip module / Full Length Slide
 - ▲ X-RAY3 Day/Night Sights
 - ▲ ROME01PRO Optic Installed
 - ▲ 119 mm / 4.7" Barrel
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Optional Magwell and Grip Weight Available
 - ▲ Optional Curved Trigger



Threaded Barrel Available
Removable Protective Cap Included



CALIBER
9 MM



- P320 XCOMPACT RXP**
- ▲ XCOMPACT Grip Module /Sub-Compact Length Slide
 - ▲ X-RAY3 Day/Night Sights
 - ▲ ROME01PRO Optic Installed
 - ▲ 91 mm / 3.6" Barrel
 - ▲ 15 Round Magazine
 - ▲ Optional Curved Trigger



- P320 XCARRY RXP**
- ▲ XCARRY Grip Module / Compact Length Slide
 - ▲ X-RAY3™ Day/Night Sights
 - ▲ ROME01PRO Optic Installed
 - ▲ 99 mm / 3.9" Barrel
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)
 - ▲ Optional Curved Trigger



- P320 FULL RXP**
- ▲ FULL SIZE Grip Module / Full Length Slide
 - ▲ X-RAY3™ Day/Night Sights
 - ▲ ROME01PRO Optic Installed
 - ▲ 119 mm / 4.7" Barrel
 - ▲ 17 Round Magazine (Optional 21 Round Magazine)

| SPECIFICATIONS | XCOMPACT | XCARRY | XFULL | FULL |
|-------------------|-------------------|-------------------|-------------------|-------------------|
| OVERALL LENGTH | 178 mm / 7.0" | 188 mm / 7.4" | 208 mm / 8.2" | 203 mm / 8.0" |
| OVERALL HEIGHT | 134 mm / 5.3" | 140 mm / 5.5" | 140 mm / 5.5" | 140 mm / 5.5" |
| OVERALL WIDTH | 33.0 mm / 1.3" | 33.0 mm / 1.3" | 33.0 mm / 1.3" | 33.0 mm / 1.3" |
| BARREL LENGTH | 91 mm / 3.6" | 99 mm / 3.9" | 119 mm / 4.7" | 119 mm / 4.7" |
| SIGHT RADIUS | 140 mm /5.5" | 147 mm / 5.8" | 167 mm / 6.6" | 167 mm / 6.6" |
| WEIGHT (WITH MAG) | 0.72 kg / 25.3 oz | 0.76 kg / 27.0 oz | 0.84 kg / 29.5 oz | 0.84 kg / 29.5 oz |
| MAG CAPACITY | 15 RDS | 17 RDS | 17 RDS | 17 RDS |

P320®

WORLDS MOST INNOVATIVE HANDGUN

The state-of-the-art SIG SAUER® P320 has quickly become one of the most sought after pistols on the market today. With unprecedented modularity, and unmatched capabilities, the P320 is the choice of the military and law enforcement across the globe.



9mm

P320 FULL SIZE

- ▲ Full-Size Grip / Full Length Slide
- ▲ X-RAY3 Day/Night Sights, SIGLITE® Night Sights or Contrast Sights Available
- ▲ 119 mm /4.7" Barrel
- ▲ 17 Round Magazine (Optional 21 Round Magazine)
- ▲ Modular Striker-Fired Pistol



9mm

P320 CARRY

- ▲ Carry Grip Module / Compact Length Slide
- ▲ SIGLITE® Night Sights or Contrast Sights Available
- ▲ 99 mm / 3.9" Barrel
- ▲ 17 Round Magazine (Optional 21 Round Magazine)
- ▲ Modular Striker-Fired Pistol



9mm

P320 COMPACT MS

- ▲ Compact Grip Module / Compact Length Slide
- ▲ X-RAY3 Day/Night Sights, SIGLITE® Night Sights or Contrast Sights Available
- ▲ 99 mm / 3.9" Barrel
- ▲ 15 Round Magazine
- ▲ Manual Safety
- ▲ Modular Striker-Fired Pistol



9mm

P320 COMPACT

- ▲ Compact Grip Module / Compact Length Slide
- ▲ X-RAY3 Day/Night Sights, SIGLITE® Night Sights or Contrast Sights Available
- ▲ 99 mm / 3.9" Barrel
- ▲ 15 Round Magazine
- ▲ Modular Striker-Fired Pistol



CALIBER
9 MM

| SPECIFICATIONS | COMPACT | COMPACT MS | CARRY | FULL SIZE |
|-------------------|-------------------|-------------------|-------------------|--------------------|
| OVERALL LENGTH | 183 mm / 7.2" | 183 mm / 7.2" | 183 mm / 7.2" | 203 mm / 8.0" |
| OVERALL HEIGHT | 134 mm / 5.3" | 134 mm / 5.3" | 140 mm / 5.5" | 140 mm / 5.5" |
| OVERALL WIDTH | 33/0 mm / 1.3" | 40.6 mm / 1.6" | 33.0 mm / 1.3" | 33.0 mm / 1.3" |
| BARREL LENGTH | 91 mm / 3.9" | 91 mm / 3.9" | 99 mm / 3.9" | 119 mm / 4.7" |
| SIGHT RADIUS | 147 mm / 5.8" | 147 mm / 5.8" | 147 mm / 5.8" | 167 mm / 6.6" |
| WEIGHT (WITH MAG) | 0.73 kg / 25.8 oz | 0.73 kg / 25.8 oz | 0.75 kg / 26.5 oz | 0.84 kg / 29.5 ozw |
| MAG CAPACITY | 15W RDS | 15 RDS | 17 RDS | 17 RDS |

P320[®]

THE MOST ADAPTABLE PISTOL EVER.

SERIALIZED, STAINLESS STEEL FRAME

Unique design gives you the freedom to change calibers, sizes, and fit – quickly and easily.

1. CALIBER:
9mm
2. CHANGE SIZE:
Full-Size / Carry / Compact
3. CHOOSE GRIP FIT:
Large / Medium / Small



Interchangeable grip modules provide optimal grip circumference without adding a bulky backstrap.

EXCEPTIONAL TRIGGER

A smooth, crisp trigger pull and short tactile reset deliver heightened accuracy.

SAFETY WITHOUT COMPROMISE

- Striker Safety
- Disconnect Safety
- 3-Point Takedown Safety
 1. Remove magazine
 2. Lock slide to rear
 3. Rotate take-down lever for disassembly without tools or trigger manipulation

THE STRIKER-FIRED STANDARD IN MODULARITY AND ADAPTABILITY.



PARTS LIST

Serialized Stainless Steel Frame

SLIDE ASSEMBLIES

Full-Size
Compact/Carry

BARRELS

119.38 mm / 4.7" Full-Size
99.0 mm / 3.9" Compact/Carry
109.22 mm / 4.6" Compact Threaded
91.4 mm / 3.6" Subcompact/XCOMPACT

GRIP MODULES

STANDARD
Compact S/M/L
Carry S/M/L
Full-Size S/M/L
XSERIES
Compact S/M/L
Carry S/M/L
Full-Size S/M/L

MAGAZINES


Compact
Full-Size/Carry
Extended
21 Rounds



Available with Manual Safety



Available with Flat Trigger



Available in Coyote



Optional Aluminum Flared Magwell (Not compatible with XCOMPACT grip module)

| SPECIFICATIONS | FULL SIZE | CARRY | COMPACT |
|----------------------|-------------------|-------------------|-------------------|
| OVERALL LENGTH | 206 mm / 8.1" | 183 mm / 7.2" | 183 mm / 7.2" |
| OVERALL HEIGHT | 140 mm / 5.5" | 140 mm / 5.5" | 134 mm / 5.3" |
| BARREL LENGTH | 119 mm / 4.7" | 99 mm / 3.9" | 99 mm / 3.9" |
| SIGHT RADIUS | 168 mm / 6.6" | 147 mm / 5.8" | 147 mm / 5.8" |
| WEIGHT WITH MAGAZINE | .836 kg / 29.5 oz | .751 kg / 26.5 oz | .731 kg / 25.8 oz |

P365[®]

EVERYDAY CARRY WITH 10+1 FULL-SIZE CAPACITY

The award-winning P365 has redefined the micro-compact pistol category, quickly becoming one of the most coveted firearms in the industry. The P365 features a patented modified double-stack magazine capable of 10+1, or 12+1 capacity. Its ergonomic design makes it more shootable than the typical pocket-sized pistols with a clean, crisp trigger pull you expect from a SIG SAUER[®].



9mm

P365 NITRON[®]

- ▲ NITRON Stainless Steel Slide
- ▲ X-RAY3™ Day/Night Sights
- ▲ 79 mm / 3.1" Barrel
- ▲ 10 Round Flush Fit Magazine (Optional 10 or 12 Round Extended Magazine)
- ▲ Front Cocking Serrations



Available with Flat Trigger



CALIBER
9 MM



9mm

P365 MANUAL SAFETY

- ▲ NITRON Stainless Steel Slide
- ▲ X-RAY3™ Day/Night Sights
- ▲ 79 mm / 3.1" Barrel
- ▲ 10 Round Flush Fit Magazine (Optional 10 or 12 Round Extended Magazine)
- ▲ Ambidextrous Manual Safety
- ▲ Front Cocking Serrations



P365 SMALL SIZE

The revolutionary new concealed carry pistol that gives you more capacity, more concealability, and more capability. It's the one gun you can carry 365 days of the year.



10+1 ROUND
FLUSH FIT

10+1 ROUND
EXTENDED

12 +1 ROUND
EXTENDED

| SPECIFICATIONS | P365 | P365 MS |
|-------------------|--|--|
| OVERALL LENGTH | 147 mm / 5.8" | 147 mm / 5.8" |
| OVERALL HEIGHT | 109 mm / 4.3" | 109 mm / 4.3" |
| OVERALL WIDTH | 25.4 mm / 1.0" | 25.4 mm / 1.0" |
| BARREL LENGTH | 79 mm / 3.1" | 79 mm / 3.1" |
| SIGHT RADIUS | 124 mm / 4.9" | 124 mm / 4.9" |
| WEIGHT (WITH MAG) | 0.50 kg / 17.8 oz | 0.50 kg / 17.8 oz |
| MAG CAPACITY | 10+1 RDS (FLUSH FIT, EXT) 12+1 RDS (EXTENDED +) | 10+1 RDS (FLUSH FIT, EXT) 12+1 RDS (EXTENDED +) |

P365XL

PERFECT BALANCE OF CONCEALMENT AND SHOOTABILITY

The P365® redefined what a concealed-carry pistol should be, now the new P365XL is doing it again. The perfect balance of micro-compact concealability with full-size shootability the P365XL packs 12 + 1 or available 15 + 1 capacity in a micro-compact, highly concealable size yet maintains the comfort and shootability of a full-size pistol.



9mm

P365XL NITRON®

- ▲ P365 Grip Module with Integrated Carry Magwell and Extended Beavertail
- ▲ Optic Ready Slide Compatible with Romeo Zero and RMSc Optics
- ▲ Night Sight Rear Plate w/XRAY3® Front
- ▲ 94 mm / 3.7" Barrel for Increased Accuracy While Retaining Concealability.
- ▲ 12 Round Steel Magazines (Optional 15 Round Extended Magazine)
- ▲ Flat Trigger with a 90 Degree Break



15 ROUND MAGAZINE



CALIBER
9 MM



9mm

P365XL MANUAL SAFETY

- ▲ NITRON Stainless Steel Slide
- ▲ Night Sight Rear Plate w/XRAY3 Front
- ▲ 94 mm / 3.7" Barrel
- ▲ 12 Round Steel Magazines (Optional 15 Round Extended Magazine)
- ▲ Ambidextrous Manual Safety
- ▲ Flat Trigger with a 90° Break



122 mm
4.8"



28.0 mm
1.1"

| SPECIFICATIONS | P365XL | P365XL MS |
|-------------------|-------------------|-------------------|
| OVERALL LENGTH | 168 mm / 6.6" | 168 mm / 6.6" |
| OVERALL HEIGHT | 122 mm / 4.8" | 122 mm / 4.8" |
| OVERALL WIDTH | 28 mm / 1.1" | 28 mm / 1.1" |
| BARREL LENGTH | 94 mm / 3.7" | 94 mm / 3.7" |
| SIGHT RADIUS | 142 mm / 5.6" | 142 mm / 5.6" |
| WEIGHT (WITH MAG) | 0.59 kg / 20.7 oz | 0.59 kg / 20.7 oz |
| MAG CAPACITY | 12 RDS | 12 RDS |

P226[®]

PROVEN PERFORMANCE AND ACCURACY

Designed for ultimate performance, carried by elite forces, and proven to be the premier combat pistol.



P226 LEGION BLACK SAO RXP

- ▲ NITRON[®] Stainless Steel Slide/Frame
- ▲ X-RAY3™ Day/Night Sights
- ▲ 112 mm / 4.4" Barrel
- ▲ 15 Round Magazine
- ▲ Grayguns Inc. Designed P-SAIT Trigger
- ▲ 2-Piece G10 Grips w/Medallion
- ▲ Threaded Barrel Available
- ▲ Chrome Lined DLC Barrel
- ▲ Available without Red Dot Sight
- ▲ Available in DA/SA

9mm



CALIBER
9 MM



CALIBER
40 S&W



9mm / 40 s&w

P226 NITRON

- ▲ NITRON Stainless Steel Slide / Alloy Frame
- ▲ SIGLITE Night Sights or Contrast Sights Available
- ▲ 112 mm / 4.4" Barrel
- ▲ 15 (9mm) / 12 (40S&W) Round Magazine
- ▲ One-Piece Ergonomic Grip



9mm

P226 TACOPS

- ▲ NITRON Stainless Steel Slide / Alloy Frame
- ▲ SIGLITE Night Sights or Contrast Sights Available
- ▲ 112 mm / 4.4" Barrel or 124mm / 4.9 in Barrel
- ▲ 20 Round Magazine
- ▲ 2-Piece Polymer Magwell Grips
- ▲ Threaded Barrel
- ▲ Optional Suppressor Height Sights



Shroud Included with RXP Models



Threaded Barrel Available
Removable Protective Cap Included

| SPECIFICATIONS | LEGION BLACK | NITRON | TACOPS |
|-------------------|-------------------|----------------------------|-------------------|
| OVERALL LENGTH | 203 mm / 8.0" | 195 mm / 7.7" | 206 mm / 8.1" |
| OVERALL HEIGHT | 140 mm / 5.5" | 140 mm / 5.5" | 140 mm / 5.5" |
| OVERALL WIDTH | 38 mm / 1.5" | 38 mm / 1.5" | 38 mm / 1.5" |
| BARREL LENGTH | 112 mm / 4.4" | 112 mm / 4.4" | 112 mm / 4.4" |
| SIGHT RADIUS | 160 mm / 6.3" | 160 mm / 6.3" | 160 mm / 6.3" |
| WEIGHT (WITH MAG) | .975 kg / 34.4 oz | .975 kg / 34.4 oz | .975 kg / 34.4 oz |
| MAG CAPACITY | 15 RDS (9mm) | 15 RDS (9mm), 12 RDS (.40) | 20 RDS (9mm) |

P229[®]

STANDARD ISSUE

Compact reliability that's been trusted by law enforcement professionals for decades.



LEGION SERIES

P229 LEGION BLACK SAO RXP

- ▲ NITRON Stainless Steel Slide/Frame
- ▲ X-RAY3™ Day/Night Sights w/ROMEO1PRO Installed
- ▲ 99 mm / 3.9" Barrel
- ▲ 15 Round Magazine
- ▲ Black G10 Checkered Grips w/LEGION Medallion
- ▲ Chrome Lined DLC Barrel
- ▲ SAO Trigger

9mm



Shroud Included with RXP Models



Threaded Barrel Available (9mm)
Removable Protective Cap Included



CALIBER
9 MM



CALIBER
40 S&W



9mm / 357 sig / 40 s&w

P229 NITRON

- ▲ NITRON Stainless Steel Slide / Alloy Frame
- ▲ SIGLITE[®] Night Sights or Contrast Sights Available
- ▲ 99 mm / 3.9" Barrel
- ▲ 15 (9mm) / 12 (40S&W) Round Magazine
- ▲ One-Piece Ergonomic Grip



9mm

M11-A1 NITRON

- ▲ NITRON Stainless Steel Slide / Alloy Frame
- ▲ SIGLITE Night Sights or Contrast Sights Available
- ▲ 99 mm / 3.9" Barrel
- ▲ 15 Round Magazine
- ▲ Two-Piece Grip Plates
- ▲ UID Label



9mm

P229 LEGION BLACK

- ▲ NITRON[®] Stainless Steel Slide/Frame
- ▲ X-RAY3[®] Day/Night Sights
- ▲ 99 mm / 3.9" Barrel
- ▲ 15 Round Magazine
- ▲ Black G10 Checkered Grips w/LEGION Medallion
- ▲ Chrome Lined DLC Barrel
- ▲ Available in SAO

| | LEGION BLACK | NITRON | M11-A1 |
|-------------------|-------------------|---|-------------------|
| OVERALL LENGTH | 188 mm / 7.4" | 180 mm / 7.1" | 180 mm / 7.1" |
| OVERALL HEIGHT | 137 mm / 5.4" | 137 mm / 5.4" | 137 mm / 5.4" |
| OVERALL WIDTH | 38 mm / 1.5" | 38 mm / 1.5" | 38 mm / 1.5" |
| BARREL LENGTH | 99 mm / 3.9" | 99 mm / 3.9" | 99 mm / 3.9" |
| SIGHT RADIUS | 145 mm / 5.7" | 145 mm / 5.7" | 145 mm / 5.7" |
| WEIGHT (WITH MAG) | 0.90 kg / 31.7 oz | 0.90 kg / 31.7 oz | 0.84 kg / 29.6 oz |
| MAG CAPACITY | 15 RDS (9mm) | 15 RDS (9mm), 12 RDS (.357), 12 RDS (.40) | 15 RDS (9mm) |

SP2022[®]

POLYMER PISTOL

The first polymer pistol tough enough to be called a SIG with all the Classic Line features.



9mm / 40 S&W

SP2022 NITRON[®]

- ▲ NITRON Stainless Steel Slide
- ▲ SIGLITE[®] Night Sights / Optional Suppressor Height Sights
- ▲ 99mm / 3.9" Barrel
- ▲ 15 (9mm) / 12 (40S&W) Round Magazine
- ▲ Available with a Threaded Barrel (9mm Only)
- ▲ Loaded Chamber Indicator
- ▲ Polymer Grip



Available with a Manual Safety



9mm / 40 S&W

SP2022 NITRON MS

- ▲ NITRON Stainless Steel Slide
- ▲ SIGLITE[®] Night Sights / Optional Suppressor Height Sights
- ▲ 99mm / 3.9" Barrel
- ▲ 15 (9mm) / 12 (40S&W) Round Magazine
- ▲ Available with a Threaded Barrel (9mm Only)
- ▲ Manual Safety
- ▲ Loaded Chamber Indicator
- ▲ Polymer Grip



Optional threaded barrels available



Optional 17 round magazines available



CALIBER
9 MM



CALIBER
40 S&W

SP2020 NITRON

| | |
|-------------------|----------------------------|
| OVERALL LENGTH | 188 mm / 7.4" |
| OVERALL HEIGHT | 145 mm / 5.7" |
| OVERALL WIDTH | 38 mm / 1.5" |
| BARREL LENGTH | 99 mm / 3.9" |
| SIGHT RADIUS | 150 mm / 5.9" |
| WEIGHT (WITH MAG) | 0.82 kg / 29.0 oz |
| MAG CAPACITY | 15 RDS (9mm), 12 RDS (.40) |

SIG MCX®

MODULAR RIFLE PLATFORM

The SIG MCX was engineered for the demands of special operations forces by SIG SAUER® for adaptability, sound suppression, and longevity. Cold hammer-forged barrels are user-changeable and available in 5.56 NATO, and 300 Blackout, in 6.75” to 16” lengths, offering the utmost in mission-specific flexibility. Internal recoil system offers reduced recoil and a compact platform.



Shown with ROMEO4T Closed Red Dot Sight, and SLH300 Suppressor

SIG MCX 6.75”

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ Optimized for Suppressors
- ▲ Folding Stock with 1913 Rail Interface
- ▲ Modular Handguard and Barrel Length
- ▲ Adjustable Gas Piston Operating System
- ▲ Ambidextrous Controls
- ▲ SIG SAUER 2-Stage Match Trigger
- ▲ 30 Round Magazine

300 BLK

Shown with Flip-Up Iron Sights



SIG MCX 16”

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 406 mm / 16” Barrel
- ▲ Telescoping/Folding 5-Position Stock
- ▲ 30 Round Magazine

5.56 NATO

Shown with ROMEO8T MIL-SPEC Red Dot Sight



SIG MCX 14.5”

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 368 mm / 14.5” Barrel
- ▲ Telescoping/Folding 5-Position Stock
- ▲ 30 Round Magazine

5.56 NATO

Shown with ROMEO4T Closed Red Dot Sight



SIG MCX 11.5”

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 292 mm / 11.5” Barrel
- ▲ Telescoping/Folding 5-Position Stock
- ▲ 30 Round Magazine

5.56 NATO

Shown with Flip-Up Iron Sights



SIG MCX 9”

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 229 mm / 9” Barrel
- ▲ Telescoping/Folding 5-Position Stock
- ▲ 30 Round Magazine

300 BLK



CALIBER 300 BLK CALIBER 5.56 NATO

| | SIG MCX 11.5" | SIG MCX 14.5" | SIG MCX 16" | SIG MCX 6.75" | SIG MCX 9" |
|--------------------|--|-------------------|------------------|-----------------|-------------------|
| ACTION TYPE | Select Fire (Safe, Semi, Full-Auto) | | | | |
| AVAILABLE CALIBERS | 5.56 NATO | | | 300BLK | |
| OPERATING SYSTEM | Short-Stroke Gas Piston w/ Multi-Position Adjustable Gas Block | | | | |
| STOCK | Telescoping/Folding 5-Position Stock | | | | |
| FOREND TYPE | M-LOK® | | | | |
| WEIGHT W/O MAG | 3.13 kg / 6.9 lb | 3.29 kg / 7.25 lb | 3.36 kg / 7.4 lb | 2.9 kg / 6.4 lb | 2.97 kg / 6.55 lb |
| LENGTH EXTENDED | 745 mm / 29.25" | 813 mm / 32" | 857 mm / 33.75" | 622 mm / 24.5" | 679 mm / 26.75" |
| BARREL LENGTH | 292 mm / 11.5" | 368 mm / 14.5" | 406 mm / 16" | 171 mm / 6.75" | 229 mm / 9" |
| RIFLING | 1:7 | 1:7 | 1:7 | 1:5 | 1:5 |

MCX RATTLER

SIG MCX IN A DISCRETE PLATFORM

Developed for elite special forces, the SIG MCX Rattler is the most compact rifle in the world. Capable of firing with stock folded from an overall length of 16”, it redefines the standard for concealable firepower.



Shown with ROMEO4T™
Closed Red Dot Sight

SIG MCX RATTLER

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 140 mm / 5.5” 300BLK Barrel with 3-Prong Flash Hider
- ▲ M-LOK® Handguard
- ▲ Ambidextrous Charging Handle and Controls
- ▲ Flip-Up Iron Sights
- ▲ 30 Round Magazine

300 BLK



SIG MCX RATTLER

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 140 mm / 5.5” 5.56 Barrel with Integrated 3-Prong Flash Hider
- ▲ Flip-Up Iron Sights
- ▲ 30 Round Magazine

5.56 NATO



CALIBER
5.56 NATO



CALIBER
300 BLK

| | RATTLER 300 BLACKOUT | RATTLER 556 NATO |
|--------------------|--|------------------|
| ACTION TYPE | Select Fire (Safe, Semi, Full-Auto) | |
| AVAILABLE CALIBERS | 300BLK | 5.56 NATO |
| OPERATING SYSTEM | Short-Stroke Gas Piston w/ Multi-Position Adjustable Gas Block | |
| STOCK | Minimalist Stock | |
| FOREND TYPE | M-LOK® | |
| WEIGHT W/O MAG | 2.5 kg / 5.6 lb | 2.63 kg / 5.8 lb |
| LENGTH EXTENDED | 584 mm / 23.0" | 603 mm / 23.75" |
| BARREL LENGTH | 140 mm / 5.5" | 140 mm / 5.5" |
| RIFLING | 1:5 | 1:7 |

SIG MCX[®]

MODULAR RIFLE PLATFORM



9" Upper Receiver



11.5" Upper Receiver



14.5" Upper Receiver



16" Upper Receiver



171 mm / 6.75" Barrel



228 mm / 9" Barrel



292 mm / 11.5" Barrel



368 mm / 14.5" Barrel



406 mm / 16" Barrel



300 BLK



5.56 NATO



Flip-Up Iron Sights



MCX Small Charging Handle (Available in Small, Medium, Large)



Single Point Bungee Sling




2-Point Sling



Mini Folding Stock



MCX Stock Adapter



2-Stage Match Trigger



Telescoping / Folding Stock



300BLK Flash Hider

5.56 NATO Flash Hider



9" Handguard



11.5" Handguard



14.5" Handguard



16" Handguard



11.5" SD Handguard



14.5" SD Handguard



Thin Folding Aluminum Stock



Visor-Compatible Stock



Collapsible Stock



M4 Collapsible / Folding Stock

MCX SPEAR

THE NEXT GENERATION RIFLE BUILT ON THE MCX PLATFORM

Built on the foundation of the SIG SAUER® MCX, that are in service with the premier fighting forces across the globe, combined with the added firepower of the 6.8mm round. Features include a fully collapsible and folding stock, rear and side charging handle, free-floating reinforced M-LOK™ handguard, full ambidextrous controls, and quick-detach suppressor. The MCX SPEAR is a cutting-edge modular platform. The design allows the end-user to change calibers between, 6.8, and 7.62. Additionally, barrel length, hand guards and buttstocks can be changed for various training or mission profiles.



TANGO6T 1-6X24MM

▲ Industry leading light transmission and optical clarity for any situation.



SIG MCX SPEAR

- ▲ Optimized for Suppressors
- ▲ Folding Stock with 1913 Rail Interface
- ▲ Non-reciprocating Side-charging Handle with Standard M4 Style Charging Handle
- ▲ Modular Handguard and Barrel Length
- ▲ Adjustable Gas Piston Operating System
- ▲ Fully Ambidextrous Controls
- ▲ SIG SAUER 2-Stage Match-duo Trigger

6.8X51 HYBRID / 7.62X51 NATO



CALIBER
6.8X51 HYBRID

CALIBER
7.62X51 NATO

SIG MCX SPEAR 13"

| | |
|--------------------|-------------------------------------|
| ACTION TYPE | Select Fire (Safe, Semi, Full-Auto) |
| AVAILABLE CALIBERS | 6.8X51 HYBRID / 7.62x51 NATO |
| OPERATING SYSTEM | Gas Piston, Rotating Bolt |
| STOCK | 1913 Stock Compatible |
| FOREND TYPE | M-LOK® |

SIG LMG

MAN PORTABLE, BELT-FED, LIGHTWEIGHT MACHINE GUN

With an emphasis on significant reductions in soldier load and enhanced combat performance, SIG SAUER® designed the SIG LMG to be 40% lighter than current systems, and dramatically reduce felt recoil while maintaining traditional belt-fed operation to increase down range capability. The SIG LMG 6.8mm machine gun features ambidextrous M4 style ergonomics, quick detach magazines, increased M1913 rail space, quick detach suppressor and vastly improves upon the operation and function of legacy weapon systems.



BELT FED MAGAZINE

▲ Quick Change Starter Belts Available in 50 and 100 Round Configurations



Shown with MG-Suppressor
Quick Change Starter Belt

SIG LMG

- ▲ Lightweight Man Portable, Contact for Weights
- ▲ Reduced Felt Recoil
- ▲ Simple Caliber Conversion
- ▲ Complete Weapon Solution (SIG ROME08 Optic, Suppressor and Ammo)
- ▲ Optimized for High Pressure High Velocity Ammunition
- ▲ Side Folding Feed cover, Side ejecting Brass-Links
- ▲ Mounts in Standard 249 Cradle Mount

6.8X51 HYBRID / 7.62X51NATO



| SIG LMG | |
|-----------------------|---|
| ACTION TYPE | Safe / Full-Auto / Semi-Auto |
| CALIBER | 6.8x51 Hybrid / 7.62x51NATO |
| OPERATING SYSTEM | Gas Piston, Open Bolt |
| RECEIVER MATERIAL | Aluminum |
| RECEIVER FINISH | Hard Coat Anodized |
| BARREL MATERIAL | Hammer Forged Steel |
| BARREL FINISH | Magnesium Phosphate |
| BELT FED MAGAZINE | 50 RD, 100 RD |
| FIRE CONTROL / SIGHTS | ROME08T / BUIS |
| GAS SETTING | Suppressed and Un-Suppressed |
| LENGTH COLLAPSED | 940mm / 37" |
| HEIGHT WITH BI-POD | 298mm / 11.7" |
| WIDTH WITH BI-POD | 234mm / 9.2" |
| BARREL LENGTH | 406mm / 16" |
| TWIST RATE | 1:10 in Right Hand / 1:254mm Right Hand |
| FELT RECOIL | @ 2 ft. lbs. / 2.7 N m |

SIG MMG

MAN PORTABLE, BELT-FED, MEDIUM MACHINE GUN

The SIG SAUER® MMG is a belt-fed, lightweight, man portable medium machine gun chambered in 338 Norma Mag. The SIG MMG features a short-stroke gas piston system and a proprietary recoil mitigation system, with a free-floating, quick-change barrel, ambidextrous controls, switchable feed tray, charging handle that can be alternated to either side depending on operator preference, and as a modern, multi-caliber, modular system the new SIG MMG is easily convertible to 7.62x51.



BELT FED MAGAZINE

▲ Quick Change Starter Belts Available in 50, and 100 Round Configurations



SIG MMG

- ▲ Lightweight Man Portable, Contact for Weights
- ▲ Reduced Felt Recoil
- ▲ Simple Caliber Conversion
- ▲ Complete Weapon Solution (SIG Romeo8 Optic, Suppressor and Ammo)
- ▲ Optimized for High Pressure High Velocity Ammunition
- ▲ Side Folding Feed cover, Side ejecting Brass-Links
- ▲ Mounts in any Existing 240 Cradle

338 NORMA MAG / 7.62X51NATO



CALIBER
338 NORMA
MAG

CALIBER
7.62X51 NATO

SIG MMG

| | |
|-----------------------|---|
| ACTION TYPE | Safe / Full-Auto / Semi-Auto |
| CALIBER | 338 Norma Mag / 7.62x51NATO |
| OPERATING SYSTEM | Gas Piston, Open Bolt |
| RECEIVER MATERIAL | Aluminum |
| RECEIVER FINISH | Hard Coat Anodized |
| BARREL MATERIAL | Hammer Forged Steel |
| BARREL FINISH | Magnesium Phosphate |
| BELT FED MAGAZINE | 50 RD, 100 RD, Flex Chute-Ammo Can |
| FIRE CONTROL / SIGHTS | ROMEO8T / BUIS |
| GAS SETTING | Suppressed and Un-Suppressed |
| LENGTH COLLAPSED | 1270mm / 50" |
| HEIGHT WITH BI-POD | 368mm / 14.5" |
| WIDTH WITH BI-POD | 305mm / 12.0" |
| BARREL LENGTH | 24" (338 Nm) 22" (7.62) / 559 mm (7.62) |
| TWIST RATE | 1:9.4 in. right hand / 9 Kg (7.62) |
| FELT RECOIL | @ 3 ft. lbs. / 4.07 N m |

SIG MPX®

GAS PISTON SUBGUN

The MPX sets a new standard for performance and quality in the sub-gun category. Featuring AR style controls and a closed bolt piston system, the MPX is designed to fulfill the needs of competitive and professional users alike.



Shown with Telescoping / Folding Stock, ROMEO4™ Closed Red Dot Sight and SRD-9 Suppressor, and 8inch handguard

SIG MPX K 4.5"

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 114 mm / 4.5" Barrel
- ▲ Telescoping/Folding 5-Position Stock
- ▲ M-LOK® Handguard
- ▲ 30 Round Magazine

9MM

SIG MPX® 8"

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 203 mm / 8.0" Barrel with A1 Flash Hider
- ▲ Telescoping/Folding 5-Position Stock
- ▲ M-LOK® Handguard
- ▲ 30 Round Magazine



CALIBER 9 MM

| | MPX | MPX K |
|--------------------|--|--------------------------------------|
| ACTION TYPE | Select Fire (Safe, Semi, Full-Auto) | |
| AVAILABLE CALIBERS | 9MM | |
| OPERATING SYSTEM | Closed, Full Locked Bolt, Short-Stroke Piston System | |
| STOCK | Thin Folding Stock | Telescoping/Folding 5-Position Stock |
| FOREND TYPE | M-LOK® | M-LOK |
| WEIGHT W/O MAG | 2.54 kg / 5.6 lb | 2.36 kg / 5.2 lb |
| OVERALL LENGTH | 660 mm / 26" | 559 mm / 22" |
| BARREL LENGTH | 203 mm / 8.0" | 114 mm / 4.5" |
| RIFLING | 1:10 | 1:10 |

SIG MPX[®]

RIFLE PLATFORM



MPX Charging Handle



Flip-Up Iron Sights



M-LOK Vert Grip



M-LOK Hand Stop



102 mm / 4" Barrel



171 mm / 6.50" Barrel



203 mm / 8" Barrel



CALIBER
9 MM



Single Point
Bungee Sling



Telescoping / Folding Stock



Mini Folding Stock



2-Point
Sling



Thin Folding Aluminum Stock



Visor-Compatible Stock



Collapsible Stock




M4 Collapsible / Folding Stock



20 Round Magazine

30 Round Magazine



8" SD Handguard



4" Handguard

516

PISTON DRIVEN AR PLATFORM

An enhanced AR platform with a clean-running, more reliable operating system, designed for suppressed use.



Shown with ROMEO4™Closed Red Dot Sight

SIG516 16"

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 406 mm / 16" Barrel
- ▲ 6-Position Adjustable Stock
- ▲ MIL-STD 1913 Quad Rail Handguard
- ▲ Ambidextrous Controls
- ▲ 30 Round Magazine

5.56 NATO



CALIBER
5.56 NATO



Shown with ROMEO4™
Red Dot Sight

SIG516 11.5"

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 292 mm / 11.5" Barrel
- ▲ 6-Position Adjustable Stock
- ▲ MIL-STD 1913 Quad Rail Handguard
- ▲ Ambidextrous Controls
- ▲ 30 Round Magazine

5.56 NATO

| | 11.5" | 16" |
|--------------------|--|-------------------|
| ACTION TYPE | Select Fire (Safe, Semi, Full-Auto) | |
| AVAILABLE CALIBERS | 5.56 NATO | |
| OPERATING SYSTEM | 3-Position Adjustable Short-Stroke Gas Piston System | |
| STOCK | 6-Position Collapsible Stock | |
| FOREND TYPE | MIL-STD 1913 Quad Rail Handguard | |
| WEIGHT W/O MAG | 3.27 kg / 7.2 lb | 3.29 kg / 7.25 lb |
| OVERALL LENGTH | 698.5 mm /27.5" | 908.05 mm /35.75" |
| BARREL LENGTH | 292 mm / 11.5" | 406 mm / 16.0" |
| RIFLING | 1:7 | |

716i

DIRECT IMPINGEMENT RIFLE

SIG SAUER® has taken the proven features of the SIGM400 and applied them into a potent AR-based rifle chambered in 7.62 NATO. Utilizing the tried and true Direct Impingement System, an M1913 Mil-Std rail, free-floating barrel, aluminum forend, and telescoping stock, the SIG716 is the rifle of choice when you require the power of a larger caliber carbine.



ROME04T RED DOT SIGHT

- ▲ Point-of-Aim is Point-of-Impact
- ▲ Unlimited Eye-Relief
- ▲ Quad Reticle System
- ▲ Ultra-Efficient Red LED Illumination System
- ▲ Lightweight 7075 Aluminum Main Housing and Components
- ▲ Assembled in U.S.A.



Shown with ROME04T Red Dot Sight

SIG716i 16"

- ▲ Select Fire (Safe, Semi, Auto)
- ▲ 406 mm / 16" Barrel
- ▲ M-LOK® Handguard
- ▲ 20 Round Magazine

7.62X51 NATO



CALIBER
7.62X51 NATO

| 716i 16" | |
|--------------------|--------------------------------|
| ACTION TYPE | Select Fire (Safe, Semi, Auto) |
| AVAILABLE CALIBERS | 7.62x51 NATO |
| OPERATING SYSTEM | Direct Impingement |
| STOCK | 6-Position Telescoping Stock |
| FOREND TYPE | Free Floating M-LOK® |
| WEIGHT W/O MAG | 3.61 kg / 7.95 lb |
| OVERALL LENGTH | 958.85 mm / 37.75" |
| BARREL LENGTH | 406 mm / 16" |
| RIFLING | 1:10 |

716G2 DMR

DESIGNATED MARKSMAN RIFLE

Developed by the world’s most elite shooters, the SIG716G2 delivers accuracy and reliability in a lightweight package.



Shown with TANGO6 5-30X56mm Scope, and ALPHA2 Tactical Mount

SIG716G2 DMR 16”

- ▲ Semi-Auto
- ▲ 406 mm / 16” Hammer-Forged Barrel
- ▲ M-LOK® Handguard
- ▲ 3-Position Adjustable Gas Valve
- ▲ 2-Stage Match Trigger
- ▲ 20 MOA Top Rail
- ▲ 20 Round Magazine

7.62X51 NATO



CALIBER
7.62X51 NATO



TANGO6 5-30X56

- ▲ Designed for AR and Bolt Action Platforms
- ▲ Long-Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- ▲ Fiber Optic Power Indicator
- ▲ Offered in FFP with Multiple Reticle Options
- ▲ LEVELPLEX Anti-Cant System

| 16” DMR | |
|--------------------|--|
| ACTION TYPE | Semi-Auto |
| AVAILABLE CALIBERS | 7.62x51 NATO |
| OPERATING SYSTEM | Short-Stroke Gas Piston w/ Multi-Position Adjustable Gas Block |
| STOCK | 6-Position Collapsible Magpul® Stock |
| FOREND TYPE | M-LOK® |
| WEIGHT W/O MAG | 4 kg / 8.8 lb |
| LENGTH EXTENDED | 930 mm / 36.6” |
| BARREL LENGTH | 406 mm / 16” |
| RIFLING | 1:10 |

SIGM400[®] PRO

DIRECT IMPINGEMENT AR PLATFORM

Designed for elite forces and refined by the world’s best professional shooters to be the ultimate AR performance rifle.



Shown with ROMEO4T™Closed Red Dot Sight and SLX-556 Suppressor

SIGM400 PRO 11.5”

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 292 mm / 11.5” Barrel
- ▲ 6-Position Telescoping Stock
- ▲ Free-Float M-LOK® Handguard
- ▲ Flip-Up Sights
- ▲ 30 Round Magazine

5.56 NATO



CALIBER
5.56 NATO

Shown with Flip-Up Iron Sights



5.56 NATO

SIGM400 14.5” PRO

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 368 mm / 14.5” Barrel
- ▲ 6-Position Telescoping Stock
- ▲ Free-Float M-LOK® Handguard
- ▲ Flip-Up Sights
- ▲ 30 Round Magazine

Shown with Flip-Up Iron Sights



5.56 NATO

SIGM400 16” PRO

- ▲ Select Fire (Safe, Semi, Full-Auto)
- ▲ 406 mm / 16” Barrel
- ▲ 6-Position Telescoping Stock
- ▲ Free-Float M-LOK® Handguard
- ▲ Flip-Up Sights
- ▲ 30 Round Magazine

| | 11.5” PRO | 14.5” PRO | 16” PRO |
|--------------------|-------------------------------------|-------------------|------------------|
| ACTION TYPE | Select Fire (Safe, Semi, Full-Auto) | | |
| AVAILABLE CALIBERS | 5.56 NATO | | |
| OPERATING SYSTEM | Direct Impingement Gas | | |
| STOCK | 6-Position Collapsible Stock | | |
| FOREND TYPE | Free-Float M-LOK® | | |
| WEIGHT W/O MAG | 2.53 kg / 5.58 lb | 2.83 kg / 6.25 lb | 2.95 kg / 6.5 lb |
| LENGTH EXTENDED | 762 mm / 30” | 838 mm / 33” | 876 mm / 34.5” |
| BARREL LENGTH | 292 mm / 11.5” | 368 mm / 14.5” | 406 mm / 16.0” |
| RIFLING | 1:7 | | |

TANGO6™

THE CHOICE OF THE U.S. ARMY AND SPECIAL OPERATIONS

TANGO6T riflescopes have been selected by the US Army and USSOCOM to deliver unmatched performance and optical clarity when it matters most. TANGO6T riflescopes are MIL-STD810G tested and approved and are assembled in the U.S.A. The TANGO6 6X super-zoom riflescope has you covered for mid to long-range engagements, precision rifle competitions to big game hunting. From bolt actions to MSR's, the TANGO6 is built for versatility.



Selected by U.S. Air Force and SOCOM for S-VPS contract.



30MM MAINTUBE

TANGO6T™ 1-6X24 SFP

- ▲ Designed for AR Platforms
- ▲ Ideal for Close to Mid-Range Tactical Engagements
- ▲ Fiber Optic Power Indicator
- ▲ Multiple Reticle Options Available
- ▲ HellFire® Reticles: Fiber Optics to Vary Intensity of Central Aiming Point (SFP)
- ▲ Daylight Bright Illumination with Locking Illumination Dial



34MM MAINTUBE


TANGO6 5-30X56

- ▲ Designed for AR and Bolt Action Platforms
- ▲ Long-Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- ▲ Fiber Optic Power Indicator
- ▲ Offered in FFP with Multiple Reticle Options
- ▲ LEVELPLEX Anti-Cant System


RETICLES

5-30X56MM

DEV-L MOA Milling, FFP
DEV-L MRAD Milling, FFP



MOA DEV-L



MRAD DEV-L

TANGO6T OPTIC HAS BEEN SELECTED BY:

The U.S. ARMY Squad Designated Marksman Rifle (SDMR)
USSOCOM Squad-Variable Powered Scope (S-VPS)
Department of Defense - Direct View Optic (DVO)



Assembled in the U.S.A.

TANGO6T 1-6X24 FFP

- ▲ Designed for MSR/AR platforms
- ▲ Ideal for close to mid-range tactical engagements.
- ▲ Fiber-optic power indicator
- ▲ Multiple reticle options available
- ▲ Daylight bright illumination with locking illumination dial

Standard Features


- ▲ 6x super-zoom advanced optical system
- ▲ First and second focal plane reticles
- ▲ Throwlever included with all SKUs
- ▲ Fast focus eyepiece
- ▲ Waterproof (IPX-8 rated) and fog-proof performance
- ▲ Night vision illuminated reticle settings with locking dial
- ▲ Laser engraved mounting line to align riflescope to scope rings
- ▲ Flat dark earth anodized finish
- ▲ Assembled in the U.S.A.

30MM MAINTUBE

1-6X24MM

FFP - 5.56/7.62 Horseshoe Dot
FFP - DWLR6

SFP - MOA Milling HELLFIRE
SFP - FL-6 HELLFIRE




5.56MM / 7.62MM
Horseshoe Dot



DWLR6



FL-6
HELLFIRE



MOA MILLING
HELLFIRE

SIERRA3BDX™

CLASSIC DIRECT IMPINGEMENT AR PLATFORM

Disguised within the form factor of a traditional riflescope lies the power of the SIG SAUER® BDX Ballistic Data Xchange. The SIERRA3BDX riflescope provides the user with an illuminated auto-holdover dot on targets when coupled with a BDX-capable KILO® rangefinder.



SIERRA3BDX 6.5-20X52

- ▲ Provides Holdover Dot for Hunting out to 800 yards (Unlimited when Coupled to an ABX/ABE Enabled Device)
- ▲ Digital Focal Plane BDX-R1 Reticle Subtensions Correct with Zoom
- ▲ Blue LED on Power Selector Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▲ HD Glass and Coatings for the Best Optical Quality in its Class
- ▲ Includes Throwlever

Standard Features

- ▲ Integrated BDX Ballistic Data Xchange.
- ▲ Automatic Holdover dot on a Digital Focal Plane
- ▲ Innovative KinETHIC Kinetic Energy Transfer Indicator
- ▲ Dependable Waterproof and Fog-Proof Performance (IPX-7 for Complete Immersion up to 1 Meter)
- ▲ LevelPlex with Auto LevelPlex mode

Also available: 4.4-14X50 /
4.5-14X44 / 3.5-10X42

30MM MAINTUBE



Ballistic Data Xchange

WHAT IS BDX?

The SIG SAUER® Ballistic Data Xchange (BDX) rangefinder, riflescope, and app has transformed long-range targets with its unprecedented simplicity and accuracy. KILO BDX rangefinders and SIERRA3BDX™ riflescopes combine the power of Applied Ballistics Data with Bluetooth technology allowing you to get the most accurate and ethical shot.


BDX RANGEFINDER: The KILO BDX rangefinder gives you unprecedented capability in the palm of your hand. Simply set your ballistic profile in the SIG BDX app and when you range your target, the KILO BDX™ will automatically provide an elevation holdover and windage adjustment. Adjust accordingly and take your shot.

BDX RIFLESCOPE: The powerful SIERRA3BDX riflescope revolutionizes the art of holdover calculation. Again, set your ballistic profile in the SIG BDX app, sync the app with your SIERRA3BDX riflescope and then configure multiple holdover points in the digital ballistic reticle. When you view your target through the reticle each of your exact holdover points is illuminated. No more turrets to adjust or calculations to make.

BDX SYSTEMS: When used together KILO BDX rangefinders and SIERRA3BDX riflescopes combine to create the most advanced optics system available on the market today. Simply configure your ballistics profile in the BDX app, pair your KILO BDX rangefinder with the app and then bond it to your SIERRA3BDX riflescope. When you range your target the KILO BDX rangefinder automatically sends your specific holdover data to your SIERRA3BDX riflescope giving you an illuminated holdover dot. It's simple and fast.



BLUE LED FLASHES WITH
EACH RETICLE UPDATE



BDX-R1 DIGITAL
BALLISTIC RETICLE

KILO BDX™

BALLISTIC RANGEFINDERS


Featuring SIG SAUER® BDX® technology, the KILO3000BDX is one of the world's most advanced laser rangefinders. When paired with a BDX enabled product, the onboard Applied Ballistics Ultralight™ calculator sends ballistic drop data via Bluetooth® directly to the BDX sight, providing an illuminated holdover dot and wind hold. Download the free BDX

App for iOS or Android to setup ballistic profiles and synchronize custom profiles to your KILO® for exact ballistic solutions.



KILO3000BDX BINOCULAR RANGEFINDER

- ▲ BDX™ Ballistic Data Xchange Capable, Providing your BDX Riflescope with an Automatic Illuminated Holdover Dot through Bluetooth Pairing
- ▲ Supports Applied Ballistics External for Pairing your KILO with a Kestrel with Onboard Applied Ballistics Elite™
- ▲ Revolutionary LightWave DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- ▲ HyperScan™ Technology Provides 4 Range Updates Per Second in Scan Mode while RangeLock™ Reports the Last Range Result when Ranging Distant Targets
- ▲ Embedded Applied Ballistics Ultralite with Bullet Database and Support for G1/G7 Drag Curves
- ▲ Fully Multi-Coated ED Glass Lenses and Phase-Coated Prisms for High Resolution and High Contrast



KILO1000BDX RANGEFINDER

6X22MM

- ▲ BDX™ Ballistic Data Xchange Capable. Providing your BDX Riflescope with an Automatic Illuminated Holdover Dot Through Bluetooth Pairing
- ▲ Embedded Applied Ballistics Ultralite with Bullet Database and Support for G1/G7 Drag Curves
- ▲ Supports Applied Ballistics External for Pairing your KILO with a Kestrel with Onboard Applied Ballistics Elite
- ▲ Low Energy Bluetooth 4.0 for Synchronizing up to 25 Custom Ballistic Profiles Between the Free SIG Ballistic App and Rangefinder
- ▲ KILO2200BDX and KILO2400BDX feature: Advanced OLED Display™, Provides a Smaller, Extremely Precise Targeting Circle along with Milling Features and Ballistic Info Including Holdover Angle, Target Mode, and Shot Angle

ROMEO2™

MIL-SPEC RED DOT SIGHT

The ROMEO2 is built for use in adverse conditions. A 3MOA or 6MOA red dot with 15 brightness settings ensures rapid target engagement. The sight features a high-efficiency, point source LED emitter and molded aspheric glass lens, utilizing a high-performance red notch reflector coating for excellent brightness and light transmittance with zero distortion. The 7075 aluminum housing and ruggedized steel shrouds protect the ROMEO2 from extreme impacts and drops. The ROMEO2 maintains 25,000 hours of battery life, comes with MOTAC to automatically power the optic on and off, and shares the same footprint as the ROMEO1PRO.



Assembled in the U.S.A.

ROMEO2 1 X 30MM

- ▲ Molded Glass Aspheric Lens with High Performance Coatings for Superior Light Transmittance and Zero Distortion
- ▲ 3 or 6 MOA Dot with 15 Brightness Settings (12 Daylight/3 NV) for Rapid Target Engagement under a Full Range of Lighting Conditions
- ▲ TruHold™ Lockless Zeroing System that Utilizes Twin Adjustment Springs Designed to Endure Handgun Recoil and Return to Zero Shot after Shot
- ▲ 25,000+ Hour Battery Life at Medium Brightness Settings with Extreme Brightness for Outdoor Use, Plus Multiple Night Vision Levels
- ▲ Integrated Anti-Reflective Rear Sight Notch for a Full Sight Picture and Co-Witness with a Front Suppressor-Height Sight
- ▲ Spring-Loaded Side Battery Tray, Released by a Push Button that can be Activated Without Tools
- ▲ 2 Steel Shrouds Included for 3 Different Optic Configurations, Including Fully Enclosed and Sealed with a Polycarbonate Rear Window
- ▲ MOTAC™ (Motion Activated Illumination System) that Powers Up when it Senses Motion and Powers Down when it Does Not
- ▲ MAGNETAC™ (Magnetic Activation) that Automatically Turns the Optic Off when Holstered in a Compatible Holster, and Instantly Turns the Optic On when Drawn from the Holster
- ▲ D.A.R.C.™ Technology Provides Ideal Reticle Brightness and Target Clarity while using Night Vision Devices
- ▲ High-Strength 7075 CNC Aluminum Housing Ensures a Lifetime of Service
- ▲ Dependable Waterproof (IPX-7 Rated for Complete Water Submersion up to 1 Meter) Performance

1 X 30MM



Open

Half

Full / Sealed

2 steel shrouds included for 3 different optic configurations, including fully enclosed and sealed with a polycarbonate rear window




The emitter area can be fully enclosed and sealed with a polycarbonate rear window, to ensure the reticle is never interrupted




Engineered to fit Most SIG SAUER Pistols with Slide cut

RETICLES



3 MOA Red Dot



6 MOA Red Dot

ROMEO4T™

MIL-SPEC COMPACT RED DOT SIGHT

Chosen by elite government and military agencies, the ROMEO4T is the ultimate Red Dot sight when fast, accurate target acquisition is a must, regardless of lighting conditions, weather conditions, or terrain. Whether it's a moving target, or a fast-breaking tactical situation at close quarters, the rugged ROMEO4T Red Dot sight can handle the job. Battery and solar powered options available.



Assembled in the U.S.A.

ROMEO4T RED DOT SIGHT

- ▲ Unlimited Eye-Relief
- ▲ Ultra-Efficient Red LED Illumination System
- ▲ Lightweight 7075 Aluminum Main Housing and Components
- ▲ Dependable IPX-8 Waterproof: Submersible to 20m for 2 Hours
- ▲ Assembled in U.S.A.

Standard Features


- ▲ Designed For Modern Pistols, Carbines, and SMG
- ▲ Quad Ballistic Circle Dot Reticle with Ballistic Holds and 10 Daytime and 2 NV Settings
- ▲ MOTACT™ (Motion Activated Illumination Systems) Powers Up When it Senses Motion and Powers Down when it does not
- ▲ Ultra Durable and Lightweight 7075 Aluminum Main Housing and Components,
- ▲ 1.41 Riser Mount with Additional Lower
- ▲ Clear, Solid and Bikini Lens Covers Included
- ▲ Complete Mil-Spec 810G Testing
- ▲ Runtime in Excess of 100,000 Hours with Solar and Battery Usage
- ▲ 4 Different Integrated Reticle Options (Dot, Circle-Dot, Dot with Holds, Circle-Dot with Holds)




Shown with JULIET4 Magnifier



RETICLES



2 MOA Red Dot Ballistic Circle-Dot




1 MOA Red Dot Ballistic Circle Quadplex™

ROME01PRO™

RUGGEDIZED MINI-REFLEX SIGHT

The ROME01PRO brings a new level of durability and performance to the miniature open-reflex red dot sight. Its aircraft grade aluminum housing ensures corrosion resistance under the harshest environments, and a new upgraded point-source emitter provides increased brightness in day or night conditions with 12 brightness settings. The molded glass aspheric lens has upgraded high performance coatings for superior light transmittance and zero distortion giving you fast, responsive target acquisition and accuracy. The ROME01PRO includes a ruggedized protective shroud in the box for extreme durability.



Removable Protective Shroud Included




ROME01PRO 1X30MM

- ▲ Lightweight Aircraft Grade CNC Aluminum Housing
- ▲ Features a Molded Glass Aspheric Lens with High Performance Coatings for Superior Light Transmittance and Zero Distortion
- ▲ Manual Illumination Controls that Remember your Last Used Settings
- ▲ D.A.R.C.™ Technology Provides Ideal Reticle Brightness and Target Clarity while using Night Vision Devices


Standard Features

- ▲ Our MOTAC™ (Motion Activated Illumination) Powers Up when it Senses Motion and Powers Down when it does not, Providing Optimum Operational Safety and Enhanced Battery Life
- ▲ The Top-Loading Battery Allows for Quick Battery Replacement Without Having to Remove the Sight from the Firearm
- ▲ Dependable Waterproof (IPX-7 rated for Complete Water Immersion up to 1 meter) and Fog-Proof Performance
- ▲ Mounts Directly to all SIG SAUER® Pistols with an R2 Optics Cut
- ▲ Removable Protective Shroud Included
- ▲ Up to 20,000 hours of Battery Life, and 12 Brightness Settings (10 Daylight, 2 NV Settings)
- ▲ Available in 3 MOA and 6 MOA dot size

RETICLES



3 MOA Red Dot



6 MOA Red Dot

ROME08T™

MIL-SPEC RED DOT SIGHT

With it's wide field of view and forgiving eye-box, the battle hardened ROME08T is ideal for rapid target engagement in any environment.



Assembled in the U.S.A.



Available in FDE




ROME08T 1X38MM

- ▲ Unlimited Eye-Relief
- ▲ Removable Titanium Shroud for Ultimate Optic Protection from Hard Use
- ▲ Ultra-Efficient Red LED Illumination System
- ▲ 4 Different Integrated Reticle Options (Dot, Circle-Dot, Dot with Holds, Circle-Dot with Holds)
- ▲ Flip Caps and Anti-Reflective Device Included
- ▲ Dependable IPX-8 Waterproof: Submersible to 20m for 30 Minutes
- ▲ Lightweight 7075 Aluminum Main Housing and Components
- ▲ Assembled in the U.S.A.

Standard Features

- ▲ High Performance Coatings for Excellent Light Transmittance and Red Dot Contrast in all Situations
- ▲ Quad Ballistic Circle Dot reticle with ballistic holds and 10 Daytime and 2 NV Settings
- ▲ MOTAC™ (Motion Activated Illumination Systems) Powers Up When it Senses Motion and Powers Down when it does not
- ▲ 1.53" Optical Center Height for Optical Device Compatibility
- ▲ 38mm Rectangular Viewing Window for Unmatched Situational Awareness and Target Identification
- ▲ .5MOA Adjustments for Zeroing, with Ballistic Drops Built into the Reticle for Distance Shooting without Dialing
- ▲ 1/2" Hex Bolt Provides Retention of Zero During Extreme Conditions
- ▲ CR123A Battery Provides 100,000 Hours at High-Brightness Setting

RETICLES



2 MOA Red Dot Ballistic Circle Dot

JULIET®

MAGNIFIERS

Easily transition between close quarters and medium range targets with a flip of our JULIET magnifier. The JULIET features a quick-release PowerCam mount that flips easily to one side when not in use. Built-in recoil lugs ensure zero hold even after removing and reinstalling.



Assembled in the U.S.A.

JULIET6™ 6X24MM

- ▲ Designed for Carabines and SMG
- ▲ Power and Versatility of a 1-6X Scope, in a Modular System that is Lighter Weight
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ Assembled in the U.S.A.

Standard Features

- ▲ Quick Release Mount with Built-In Recoil Lugs for a Repeatable Zero
- ▲ PowerCam 90° Mount Pivots to the Side When not Needed
- ▲ Adjustable Height Using Included Spacers
- ▲ Aerospace Grade 6061 Aluminum Housing Ensures a Lifetime of Reliable Service
- ▲ Waterproof Rated IPX-8 (20 Meters for 1 Hour)



JULIET4™ 4X24MM

- ▲ Designed for Carabines and SMG
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile
- ▲ Power and Versatility of a 1-4X Scope, in a Modular System that is a Lighter Weight
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ Assembled in the U.S.A.



JULIET3™ 3X24MM

- ▲ Designed for Carabines and SMG
- ▲ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▲ STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile
- ▲ Power and Versatility of a 1-3x Scope, in a Modular System That is a Lighter Weight
- ▲ Adjustable base Mount Provides Customization for Red Dot Sight Combination
- ▲ Assembled in the U.S.A.



PowerCam 90° Mount



Quick Release Mount with Built-in Recoil Lugs

ALPHA™

TACTICAL SCOPE MOUNTS

Our proprietary steel alloy ALPHA2 and ALPHA3 Scope Mounts are machined with an exactness that is both strong yet ductile that allows our rings to form around a riflescope, yet will not damage scope under proper installation. The steel rings are epoxy powder coated to prevent oxidation and resist gun oils, cleaning solutions, and outdoor exposure.



ALPHA3 SCOPE MOUNT

- ▲ STANG Mounting Interface Style Clamps
- ▲ Machined from 7075 Aluminum with Titanium Mounting Hardware
- ▲ Multiple Diameter Sizes and Heights Available from; 30mm (1.375" and 1.535"), 30mm - 20 MOA, (1.535") 34mm (1.535"), 34mm - 20 MOA (1.535")



Assembled in the U.S.A.



Assembled in the U.S.A.

ALPHA2 SCOPE MOUNTS

- ▲ STANG Mounting Interface Style Clamps
- ▲ Machined from 6061-T6 Aluminum with Steel Mounting Hardware
- ▲ Multiple Diameter Sizes and Heights Available from; 30mm (1.535"), 30mm - 20 MOA, (1.535") 34mm (1.535"), 34mm - 20 MOA (1.535")
- ▲ Available in FDE 6061-T6 (30mm 0 MOA)



| MOUNT | SKU | DIA | MATERIAL | HEIGHT | CANT | COLOR |
|--------|----------|------|----------|----------|--------|-------|
| ALPHA2 | SOA20001 | 30mm | 6061-T6 | 1.535 in | 0 MOA | Black |
| | SOA20002 | 30mm | 6061-T6 | 1.535 in | 20 MOA | Black |
| | SOA20003 | 34mm | 6061-T6 | 1.535 in | 0 MOA | Black |
| | SOA20004 | 34mm | 6061-T6 | 1.535 in | 20 MOA | Black |
| | SOA20005 | 30mm | 6061-T6 | 1.535 in | 0 MOA | FDE |
| ALPHA3 | SOA30001 | 30mm | 7075-T6 | 1.375 in | 0 MOA | Black |
| | SOA30003 | 30mm | 7075-T6 | 1.535 in | 0 MOA | Black |
| | SOA30005 | 34mm | 7075-T6 | 1.535 in | 0 MOA | Black |
| | SOA30006 | 30mm | 7075-T6 | 1.535 in | 20 MOA | Black |
| | SOA30007 | 34mm | 7075-T6 | 1.535 in | 20 MOA | Black |


PISTOL AMMO

ELITE PERFORMANCE AMMUNITION

SIG V-CROWN

JACKETED HOLLOW POINT PISTOL CARTRIDGES

SIG V-CROWN® defensive rounds combine perfected material specifications and fine-tuned design innovations. Featuring a stacked hollow point cavity, to deliver exceptional on-target energy, with maximum weight retention and optimal expansion for the ultimate in stopping power.



FEATURES


- 1. V-Shaped Jacket with Skives and Scores to Provide Controlled, Uniform Expansion
- 2. Patented Stacked Hollow Point Bullet Design with Additional Hollow Point Cavity
- 3. Unique Toothed Cannelure Ensures Maximum Weight Retention and Terminal Expansion
- 4. Coated Nickel Cases Provide Enhanced Lubricity, Superior Corrosion Resistance, and Reliable Feeding and Extraction
- 5. Low Flash Propellant
- 6. Consistent Primers



SIG FMJ

FULL METAL JACKET PISTOL CARTRIDGES

Engineered to match SIG V-Crown™ ballistics for a more seamless transition from training to carry ammunition. SIG FMJ delivers round after round of affordable, premium-level performance. Featuring dependable primers, SIG FMJ durable copper-jacketed bullets match the point-of-impact, recoil, and energy of the SIG V-Crown loads.



FEATURES

- 1. Full Metal Jacket Projectile Ballistically Matched to Ensure the Same Point-of-Impact as Elite Carry Ammo
- 2. Lead Core
- 3. Bullet Weight and Load Spec's Matched to Elite Carry to Ensure Consistent Felt Recoil and Barrel Rise
- 4. Brass Cartridge Cases
- 5. Clean Burning Powders
- 6. Consistent Primers

FEATURES

- ▲ Brass Cartridge Cases
- ▲ Fully Reloadable
- ▲ Dependable Primers
- ▲ Made in the U.S.A.
- ▲ Clean Burning Powders
- ▲ Manufactured to SAAMI Standards



| CALIBER | BULLET WEIGHT (gr) | BULLET STYLE | VELOCITY IN FPS | | | | ENERGY IN FT-LBS | | | | TRAJECTORY IN INCHES | | |
|-------------|--------------------|--------------|-----------------|--------|--------|---------|------------------|--------|--------|---------|----------------------|--------|---------|
| | | | MUZZLE | 25 YDS | 50 YDS | 100 YDS | MUZZLE | 25 YDS | 50 YDS | 100 YDS | 25 YDS | 50 YDS | 100 YDS |
| SIG V-CROWN | | | | | | | | | | | | | |
| 9MM LUGER | 115 | JHP | 1185 | 1126 | 1076 | 1000 | 359 | 324 | 296 | 255 | 0.6 | 0.0 | -7.0 |
| | 124 | | 1165 | 1102 | 1051 | 973 | 374 | 334 | 304 | 261 | 0.6 | 0.0 | -7.3 |
| | 147 | | 985 | 958 | 934 | 891 | 317 | 300 | 285 | 259 | 0.9 | 0.0 | -9.5 |
| SIG FMJ | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 9MM LUGER | 115 | FMJ | 1185 | 1125 | 1076 | 999 | 359 | 323 | 296 | 255 | 0.6 | 0.0 | -7.0 |
| | 124 | FMJ | 1165 | 1111 | 1065 | 993 | 374 | 340 | 312 | 272 | 0.6 | 0.0 | -7.1 |
| | 147 | FMJ | 985 | 960 | 936 | 895 | 317 | 301 | 286 | 261 | 0.9 | 0.0 | -9.4 |

RIFLE AMMO

ELITE PERFORMANCE AMMUNITION

PRECISION MATCH GRADE RIFLE CARTRIDGES

SIG Match Grade rifle rounds are engineered to excel in today’s precision auto-loading platforms, as well as bolt-action rifles. Utilizing optimized shell case metallurgy and premium primers, each round is precision-loaded using state-of-the-art, electromechanical monitoring for geometric conformity, and all are 100% inspected.



FEATURES

- 1. Hollow Point Designed to Maximize BC
- 2. Thin Jacket Design for Precise Concentricity
- 3. Bullet Weights are Held within +/- 0.3 Grains
- 4. Temperature-Stable Propellants
- 5. Brass Cases are 100% Inspected and Lot Controlled
- 6. Industry Leading Primers are Unmatched in Power and Performance



| CALIBER | BULLET WEIGHT (gr) | BULLET STYLE | VELOCITY IN FPS | | | | | | ENERGY IN FT-LBS | | | | | | TRAJECTORY IN INCHES | | | | |
|-----------------|-----------------------|--------------|-----------------|---------|---------|---------|---------|---------|------------------|---------|---------|---------|---------|---------|----------------------|---------|---------|---------|---------|
| | | | MUZZLE | 100 YDS | 200 YDS | 300 YDS | 400 YDS | 500 YDS | MUZZLE | 100 YDS | 200 YDS | 300 YDS | 400 YDS | 500 YDS | 100 YDS | 200 YDS | 300 YDS | 400 YDS | 500 YDS |
| SIG MATCH RIFLE | | | | | | | | | | | | | | | | | | | |
| 5.56 NATO | 77 | OTM | 2750 | 2499 | 2262 | 2038 | 1828 | 1633 | 1293 | 1068 | 875 | 710 | 571 | 456 | 0.0 | -4.1 | -15.0 | -34.3 | -64.1 |
| 308 WIN | 168 | OTM | 2700 | 2505 | 2318 | 2138 | 1967 | 1805 | 2719 | 2340 | 2003 | 1705 | 1443 | 1215 | 0.0 | -4.1 | -14.6 | -32.8 | -59.9 |
| 308 WIN | 175 | OTM | 2600 | 2424 | 2256 | 2094 | 1939 | 1791 | 2626 | 2284 | 1977 | 1703 | 1460 | 1246 | 0.0 | -2.9 | -12.7 | -30.4 | -57.4 |

PRECISION 300 BLACKOUT

Engineered with the SIG MCX® mission configurable rifle in mind, SIG 300BLK runs with all standard NATO magazines.

FEATURES

- ▲ Minimal Velocity Variation
- ▲ Precision Loaded for Conformity
- ▲ Renowned Sierra Matchking® Projectile for OTM Rounds
- ▲ Temperature Stable Propellants

SIG 300BLK Subsonic 220gr

SIG propellant chemistry has been optimized to produce the ideal amount of down-bore pressure for cycling both piston and gas-driven platforms, with or without sound suppression. SIG 300BLK Subsonic rounds minimize recoil, sound, and muzzle flash, while maximizing the number of hits on target.



SIG 300BLK Supersonic 125gr


The ultimate rounds for precision shots at extended range, SIG 300BLK Supersonic features Sierra MatchKing® projectiles in a pointed meplat design for maximum velocity retention – yielding flatter trajectories and more on-target energy.

| CALIBER | BULLET WEIGHT (gr) | BULLET STYLE | BARREL LENGTH | VELOCITY IN FPS | | | | APPLICATION | FEATURES | |
|-------------------|--------------------|--------------|---------------|-----------------|-----------|----------|-----------|-------------|---|--|
| | | | | 5.5 INCH | 6.75 INCH | 9.0 INCH | 16.0 INCH | | | |
| SIG 300BLK | | | | | | | | | | |
| 300BLK SUPERSONIC | 125 | OTM | ALL | 1767 | 1825 | 1936 | 2200 | MATCH GRADE | › SIERRA MATCHKING PROJECTILE › EXCELLENT VELOCITY CONSISTENCY › POINTED TIP FOR SMOOTH FEEDING › BRASS SHELL CASE | |
| | | | | | | | | | | |
| 300BLK SUBSONIC | 220 | OTM | ALL | 825 | 850 | 905 | 1000 | MATCH GRADE | › SIERRA MATCHKING PROJECTILE › EXCELLENT VELOCITY CONSISTENCY › BOATTAIL › BRASS SHELL CASE | |

MODX PISTOL

SUPPRESSORS

The MODX pistol suppressor line from SIG SAUER® features completely modular and configurable titanium baffles for the ultimate in lightweight performance that allows the user to personalize their suppressor for overall length, weight, and sound. The MODX-9 and MODX-45 provide class-leading sound performance and can be easily disassembled and reconfigured with fewer baffles when your priority is size over sound. The MODX suppressors feature 21 points of impact adjustment and come with a fixed barrel spacer for carbine use. Each MODX suppressor includes the most popular inch and metric piston for its given caliber.



MODX-9 P226 Using 147gr

MODX-9 PISTOL

- ▲ Segmented Titanium 3D Printed
- ▲ Includes Two Pistons (1/2"x28tpi& M13.5x1LH) and Fixed Barrel Spacer
- ▲ Multi-Caliber Capable with Accessory Pistons

9MM



SLX RIFLE

SUPPRESSORS

The next generation of suppressor technology has arrived. The SLX series of rifle suppressors from SIG SAUER was born out of today’s military requirements and is designed to deliver cutting edge performance. The new Clutch-LOK QD mounting system is easy to use, repeatable, and extremely durable. The cross flow baffle design delivers an entirely new shooting experience while reducing harmful toxic gases to the user, allowing gases to expand and cool at a faster rate than the traditional baffle design, while minimizing increase in bolt speed.



SLX762-QD

- ▲ 7.62mm
- ▲ 5/8x24 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 7.4" L x 1.09" W

7.62 NATO



7.62 NATO

SLX762 DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

SLX762C QD

- ▲ 5/8x24 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

SLX762C DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

SLX556 DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

SLX556 QD

- ▲ 1/2x28 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

SLX556C DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



5.56 NATO

SLX556C QD

- ▲ 1/2x28 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback

| | CALIBER | LENGTH | WIDTH | WEIGHT | MATERIAL |
|------------|-----------|-----------------|-----------------|--------------------|-----------------------------|
| SLX556 | 5.56 NATO | 7.4 in / 188 mm | 1.67 in / 42 mm | 1.09 lbs / 17.4 oz | Inconel and Stainless Steel |
| SLX556-QD | 5.56 NATO | 7.4 in / 188 mm | 1.67 in / 42 mm | 1.2 lbs / 19.2 oz | Inconel and Stainless Steel |
| SLX556C | 5.56 NATO | 5.2 in / 132 mm | 1.67 in / 42 mm | 0.79 lbs / 12.6 oz | Inconel and Stainless Steel |
| SLX556C-QD | 5.56 NATO | 5.2 in / 132 mm | 1.67 in / 42 mm | 0.91 lbs / 14.6 oz | Inconel and Stainless Steel |
| SLX762 | 7.62 NATO | 7.4 in / 188 mm | 1.67 in / 42 mm | 1.09 lbs / 17.4 oz | Inconel and Stainless Steel |
| SLX762-QD | 7.62 NATO | 7.4 in / 188 mm | 1.67 in / 42 mm | 1.2 lbs / 19.2 oz | Inconel and Stainless Steel |
| SLX762C | 7.62 NATO | 5.2 in / 132 mm | 1.67 in / 42 mm | 0.79 lbs / 12.6 oz | Inconel and Stainless Steel |
| SLX762C-QD | 7.62 NATO | 5.2 in / 132 mm | 1.67 in / 42 mm | 0.91 lbs / 14.6 oz | Inconel and Stainless Steel |

SLH RIFLE

SUPPRESSORS

The next generation of suppressor technology has arrived. The SLH series of rifle suppressors from SIG SAUER® was born out of today’s military requirements and is designed to deliver cutting edge performance. The new Clutch-LOK QD mounting system is easy to use, repeatable, and extremely durable. The cross flow baffle design delivers an entirely new shooting experience while reducing harmful toxic gases to the user, allowing gases to expand and cool at a faster rate than the traditional baffle design, while minimizing increase in bolt speed.



SLH762-QD

- ▲ 7.62mm
- ▲ 5/8x24 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback
- ▲ 7.4" L x 1.09" W

7.62 NATO



.300 BLK

SLH300 DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



.300 BLK

SLH300 QD

- ▲ 5/8x24 Muzzle Device Included
- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

SLH762 DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

SLH762TI QD

- ▲ 5/8x24 Muzzle Device Included
- ▲ Titanium Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

SLH762C DIRECT THREAD

- ▲ Inconel and Stainless Steel Construction
- ▲ Cross Flow Design to Reduce Blowback



7.62 NATO

SLH762TIC QD

- ▲ 1/2x28 Muzzle Device Included
- ▲ Titanium Construction
- ▲ Cross Flow Design to Reduce Blowback

| | CALIBER | LENGTH | WIDTH | WEIGHT | MATERIAL |
|--------------|-----------|------------------|-----------------|--------------------|-----------------------------|
| SLH300 | 300 BLK | 8.93 in / 227 mm | 1.67 in / 42 mm | 1.4 lbs / 22.4 oz | Inconel and Stainless Steel |
| SLH300-QD | 300 BLK | 8.93 in / 227 mm | 1.67 in / 42 mm | 1.52 lbs / 24.3 oz | Inconel and Stainless Steel |
| SLH300TI | 300 BLK | 8.93 in / 227 mm | 1.67 in / 42 mm | 0.88 lbs / 14.1 oz | Titanium |
| SLH300TI-QD | 300 BLK | 8.93 in / 227 mm | 1.67 in / 42 mm | 1.0 lbs / 16 oz | Titanium |
| SLH762 | 7.62 NATO | 7.5 in / 191 mm | 1.67 in / 42 mm | 1.2 lbs / 19.2 oz | Inconel and Stainless Steel |
| SLH762-QD | 7.62 NATO | 7.5 in / 191 mm | 1.67 in / 42 mm | 1.32 lbs / 21.1 oz | Inconel and Stainless Steel |
| SLH762TI | 7.62 NATO | 7.5 in / 191 mm | 1.67 in / 42 mm | 0.75 lbs / 12 oz | Titanium |
| SLH762TI-QD | 7.62 NATO | 7.5 in / 191 mm | 1.67 in / 42 mm | 0.87 lbs / 13.9 oz | Titanium |
| SLH762C | 7.62 NATO | 5.3 in / 135 mm | 1.67 in / 42 mm | 0.83 lbs / 13.3 oz | Inconel and Stainless Steel |
| SLH762C-QD | 7.62 NATO | 5.3 in / 135 mm | 1.67 in / 42 mm | 0.96 lbs / 15.4 oz | Inconel and Stainless Steel |
| SLH762TIC | 7.62 NATO | 5.3 in / 135 mm | 1.67 in / 42 mm | 0.55 lbs / 8.8 oz | Titanium |
| SLH762TIC-QD | 7.62 NATO | 5.3 in / 135 mm | 1.67 in / 42 mm | 0.67 lbs / 10.7 oz | Titanium |

PISTOL

ACCESSORIES

P320 X-CHANGE KITS

The modular pistol has arrived. Removing P320 fire control group unlocks hundreds of combinations.

- ▲ Includes: Complete Slide, Barrel, Recoil Spring Assembly, Grip Module, and Magazine
- ▲ Reflex Optic Compatible
- ▲ Not Available for Manual Safety



P320 TXG™ GRIP MODULE

The weight of steel and the flex of polymer

- ▲ Requires Complete P320 Fire Control Unit and XFIVE or Full-Size Slide Assembly
- ▲ Overall Weight is 16.6oz
- ▲ Tungsten-Infused Polymer
- ▲ Available with Extended Magwell and Internal Weight
- ▲ Patent Pending Technology



SIG PISTOL SIGHTS

The modular pistol has arrived. Removing P320 fire control group unlocks hundreds of combinations.

- ▲ Includes: Complete Slide, Barrel, Recoil Spring Assembly, Grip Module, and Magazine
- ▲ Reflex Optic Compatible
- ▲ Not Available for Manual Safety

P320 GRIP MODULES

Engineered to fit your hand and your P320.

- ▲ Full-Sized, Carry, Compact, and Sub-Compact
- ▲ XFIVE; XFULL, XCARRY, XCOMPACT
- ▲ Black, M17 Coyote, and White
- ▲ Large, Medium, and Small (Not Available in All Colors and XSERIES)
- ▲ XFIVE Grip Module Includes Weight and Magazine Funnel



P320® STIPPLED GRIP

These grips put the "tac" in tactical. Hand stippled by craftsmen in the U.S.A. for those that want more gripping power.

- ▲ Carry-Size XSERIES Grip
- ▲ Black Finish
- ▲ Compatible with Grip Weights and Magazine Funnels



PISTOL MAGAZINES

Original factory magazines designed specifically for SIG SAUER® pistols.

- ▲ Capacities from 6 to 21 Rounds
- ▲ 9mm, .357 SIG, .40 S&W, 10mm, and .45 ACP



P365 15rd Magazine

PISTOL BARRELS

SIG SAUER factory made pistol barrels.

- ▲ Offered in P220, P226, P229, 1911, P320, and P365 Firearms Families
- ▲ Threaded and Non-Threaded Versions



PISTOL TRIGGER UPGRADES

Introduce the next level in precision to Classic and P320 pistols.

- ▲ Made in Flat and Curved Trigger Configurations



PISTOL PART KITS

Keep your favorite firearm running like new.

- ▲ Replacement Parts Kits for Classic, P320, and P365 Models
- ▲ Factory Approved Parts for Every Need



RIFLE

ACCESSORIES



SIG MCX® AR UPGRADE KIT

Transform any MIL-SPEC AR lower receiver into the adaptive and modular SIG MCX® VIRTUS.

- ▲ Complete SIG MCX Upper Receiver Assembly
- ▲ Lower Receiver Stock Adapter
- ▲ Side-Folding AR Buffer Tube Knuckle
- ▲ Two-Stage Match Duo Trigger



SIG FLIP-UP IRON SIGHTS

SIG SAUER Flip Up Iron Sights

- ▲ SIG SAUER rail mounted flip up iron sight set for AR rifles.
- ▲ Fits Models; SIGM400 / SIG516 / SIG716 / SIG MCX
- ▲ Machined Steel



SIG UPPER RECEIVERS

Transform any MIL-SPEC AR lower receiver into a Piston Gas System or Direct Impingement rifle

- ▲ Complete SIG516, 716, or M400 Upper Receiver Assemblies
- ▲ Available in various lengths
- ▲ Machined Aluminum
- ▲ Includes Upper Receiver, Barrel Assembly, Bolt, and Charging Handle



SIG AR-15 / M16 SLINGS

- ▲ Utility Brush/Cleaning Brush
- ▲ Bronze Bore Brush
- ▲ Bronze and Stainless Steel Chamber Brush
- ▲ 5 Cleaning Rods
- ▲ Plastic Bottle for Oils or Solvents



SIG AR-15 / M16 CLEANING KIT

- ▲ Utility Brush/Cleaning Brush
- ▲ Bronze Bore Brush
- ▲ Bronze and Stainless Steel Chamber Brush
- ▲ 5 Cleaning Rods
- ▲ Plastic Bottle for Oils or Solvents



SIG AR STOCKS

Options as diverse as your mission.

- ▲ M4 Adjustable Folding
- ▲ 6-Position CTR Stock
- ▲ Skeletonized Mini
- ▲ Lower Receiver Stock Adapter
- ▲ Many More...



SIG716I GRIP KIT

- ▲ Vertical Grip, Barricade Stop, Handstop, Long and Short Rail Sections
- ▲ M-LOK Compatible



SIG MATCHLITE™ TRIGGER

A trigger made for a SIG SAUER rifle, and perfect for any AR.

- ▲ Match Grade Performance
- ▲ Non-Adjustable
- ▲ Includes Hammer and Trigger Pins



SIG MCX RATTLER CONVERSION KIT

Convert any MIL-SPEC AR Lower into a MCX Rattler

- ▲ Complete SIG MCX Rattler Upper Receiver Assembly
- ▲ Lower Receiver Stock Adapter
- ▲ Side-Folding AR Buffer Tube Knuckle
- ▲ Two-Stage Match Duo Trigger



SIG MCX AR CONVERSION KIT

- ▲ Convert Mil-Spec AR Lower Receiver to SIG MCX System
- ▲ Complete SIG MCX Upper Receiver Assembly
- ▲ Lower Receiver Stock Adapter
- ▲ 2-Stage Match Trigger



TRAINING

SIG SAUER® TRAINING

SIG AIR ProForce products are designed as replicas of their centerfire counterparts in look, balance, handling characteristics, and are engineered to SIG standards for precision, accuracy, and reliability.

PROFORCE™

AIRSOFT TRAINING



PROFORCE VIRTUS MCX AIRSOFT

- ▲ Similar in look and feel to the SIG MCX Virtus SBR Firearm
- ▲ Requires 11.1V Lithium Ion Battery (Battery not Included)
- ▲ Telescoping Stock
- ▲ Fully Automatic AEG (Automatic Electric Gun)
- ▲ 120rd Magazine, for Best Results use 6mm, .20gr Polymer Biodegradable BBs
- ▲ Adjustable Hop-up
- ▲ Up to 370 FPS

.20GR



ALL METAL RECEIVER
AND M-LOK HANDGUARD
CONSTRUCTION FOR ACCU-
RATE WEIGHT AND HANDLING



9mm

P320-M17 AIRSOFT

- ▲ Similar in look and feel to the U.S. Army Issued P320- M17
- ▲ Full Blowback Metal Slide
- ▲ Powered by 12g CO2 or Green Gas, Magazines for Green Gas and CO2 are Interchangeable in the same Pistol
- ▲ Drop Free Magazine
- ▲ Field Strips Like the U.S. Army M17 Pistol
- ▲ 21rd Magazine, for Best Results use 6mm, .20gr Polymer Biodegradable BBs
- ▲ Optional Optic Plate mount for Red Dot Sights
- ▲ Up to 320 FPS w/Green Gas and 410 FPS w/ CO2



9mm

P229 AIRSOFT

- ▲ Full Blowback Metal Slide
- ▲ Full Metal Slide, Frame, Barrel and Magazine
- ▲ Powered by 12g CO2 or Green Gas, Magazines for Green Gas and CO2 are Interchangeable in the same Pistol
- ▲ 1:1 Replica of the SIG SAUER P229 Pistol
- ▲ 25rd Magazine, for Best Results use 6mm, .20gr Polymer Biodegradable BBs
- ▲ Fixed Front and Rear White Dot Sights
- ▲ Up to 320 FPS w/Green Gas and 410 FPS w/ CO2

Selected by the U.S. Coast
Guard for training.



Ultimate Training Munitions

AS REAL AS IT GETS

Ultimate Training Munitions is the world leader in providing law enforcement communities with the most realistic and non-lethal force-on-force, short range training system. Police officers around the world have placed their trust in UTM to deliver realistic training. Professionals whose lives depend on the best training possible know that they can always count on the safest, most accurate, and most reliable non-lethal training ammunition available.



UTM PISTOL CONVERSION KITS

- ▲ Easy to Install
- ▲ Simple Exchange of Slide and Barrel, or Slide Assembly
- ▲ Feel and Function of "Live" Ammunition
- ▲ Unique Chamber Profile That Will Not Allow "Live/Lethal" Ammunition to Completely Chamber
- ▲ Great for Law Enforcement and Military Communities
- ▲ Fits P320 Full-Size, Compact, Carry in 9mm, and .40S&W
- ▲ Also Available for the Following SIG SAUER Models: P226, P228/P229, SP2022

.20GR

To learn more, visit utmworldwide.com/sigpistols



MCX UTM RIFLE CONVERSION KIT

- ▲ Easy to Install
- ▲ Simple Exchange of the Bolt and Carrier Assembly
- ▲ Feel and Function of "Live" Ammunition
- ▲ Offset Firing Pin design Strikes Outside of "Live/Lethal" Ammunition Primer Pocket for Added Safety while Using UTM Ammunition
- ▲ Includes Bolt Carrier and Blue Training Magazine
- ▲ Great for Law Enforcement and Military Communities

SIG MCX CONVERSION

Kits Available in 5.56

5.56 NATO



SIG516/SIGM400 UTM RIFLE CONVERSION KIT

- ▲ Easy to Install
- ▲ Simple Exchange of the Bolt Carrier Group
- ▲ Feel and Function of "Live" Ammunition
- ▲ Offset Firing Pin Design Strikes Outside of "Live/Lethal" Ammunition Primer Pocket for Added Safety while Using UTM Ammunition
- ▲ Includes Bolt and Blue Training Magazine
- ▲ Great for Law Enforcement and Military Communities

5.56 NATO

TRAINING

SIG SAUER ACADEMY



WE'LL MAKE YOU A BETTER SHOOTER. GUARANTEED

With a team of world class instructors, from a broad range of backgrounds, the SIG SAUER Academy provides the finest firearms and tactics training available today. Using our objective and performance-based training methods we can help develop and expand the abilities of virtually any level of firearms user.

Our expert staff of instructors have the unique ability and experience that allows them to train all types of firearms users, from beginners to experts, from civilians to elite military, and law enforcement agencies. The SIG SAUER Academy is committed to delivering the best, most realistic, fundamentally sound training experience possible. We'll make you a better shooter. Guaranteed.

For course descriptions, schedules, and more, visit sigsaueracademy.com

FACILITIES

The SIG SAUER AcademySM offers 140 acres of state-of-the-art indoor and outdoor training facilities. We have developed a variety of ranges and infrastructure allowing us to create almost any type of environment and to prepare for practically any situation. Facilities include:

- 26 Different Live Fire Ranges
- 1,000 Yard Rifle Range
- 2 Live Fire Shoothouses
- Indoor Pistol and Rifle Ranges
- 270 Degree Range
- Tactical Training with Breaching Capabilities
- Obstacle Course
- Vehicle Defense Range

Additionally, the SIG SAUER Academy is home to the **factory-direct SIG SAUER Pro Shop**, displaying the entire line of SIG SAUER pistols, rifles, electro-optics, suppressors, ammunition, air guns, accessories, and apparel.

PRIVATE AND MOBILE TRAINING

The SIG SAUER Academy is dedicated to providing the highest level of training available, tailored to fit any individual or organized group needs. We provide customized private classes at our Academy, or we can take our expert training to a private location upon request.

Private classes for corporate and executive clients, as well as government agencies and private groups, or individuals, are available either as a standard course listed on our website or as a custom class designed to your specific needs. Private instruction ranges from foundational shooting tutorials to advanced dynamic tactics in a one-on-one or group learning environment.

INTERNATIONAL CUSTOMERS

The SIG SAUER Academy has a diverse staff of expert, bilingual instructors that provide the highest level of training and instruction to international civilian and military/law enforcement customers.

SIG SAUER Academy staff have consistently trained with some of the world's most elite counterterrorism units, providing expert instruction across a wide range of training needs. Our staff and facilities can provide any level of instruction needed to international clients, and can provide all of the necessary equipment and materials, including all tactical equipment and firearms no matter what manufacturer or platform is required.

ABOUT OUR COURSES



PISTOL/RIFLE/SHOTGUN/PRECISION SCOPED RIFLE

The SIG SAUER Academy has programs that are designed to achieve results across a broad range of platforms, from pistols and rifles, to shotguns and precision long-range shooting. All courses are taught from a foundational level and have a progression structure allowing students to develop their skills at their own pace. Depending on your personal training objectives, we offer classes for personal and home defense, individual skill building, and instructor certification.



ADVANCED TRAINING

Advanced training courses are designed to take a student's skills to an extremely high level. These classes help provide students the knowledge, skills, and confidence to improve their performance and decision-making in a high-risk, high-stress environment. These courses include specific subjects such as low light pistol and rifle, advanced medical training, executive protection, as well as vehicle and scenario-based training.



ARMORER

SIG SAUER is one of the many major manufacturers that offers civilian armorer's courses. Our armorer's certification gives students a complete and thorough understanding of SIG SAUER firearms, proper maintenance techniques, and inspection processes. These courses are designed to provide all of the necessary information to preserve the firearms factory warranty. Students who successfully complete these courses receive a three year armorer certification.



LAW ENFORCEMENT/MILITARY

SIG SAUER Academy is dedicated to providing the highest level of global training for military and law enforcement professionals. Courses include specific subjects such as bus and vehicle assault, night vision, breaching, and direct threat care. Any course can be conducted remotely or customized to meet agency or department needs. Custom course design and implementation allow for any desired capability and duration of training. The SIG SAUER Academy also has physical fitness facilities available to visiting groups at no charge.


TRAINING

SIG SAUER ACADEMY

MORE THAN TRAINING. A DESTINATION. SIG SAUER ACADEMYSM is located in the Seacoast region of New Hampshire, just an hour north of Boston, and an hour south of Portland, Maine. New Hampshire is home to 18 miles of New England coastline and beaches, and is situated approximately an hour away from several top-rated ski resorts in the White Mountains. Nearby historic Portsmouth is a favorite tourist destination, featuring nationally-recognized restaurants and cuisine, outdoor sight-seeing activities, local boutiques, tax-free shopping, and a thriving nightlife. There are several major transportation hubs allowing easy access along with a wide variety of accommodations available nearby.

PRO SHOP

The SIG SAUER Academy Pro Shop is a full-service, factory-direct retail store open to the public, located on the grounds of the SIG SAUER Academy. The Pro Shop features the entire line of SIG SAUER pistols, rifles, electro-optics, suppressors, ammunition, airguns, accessories, and apparel and also has armorers services available on-site. The Pro Shop staff are highly trained and can provide expert advice on all of the latest SIG SAUER products.



ACCOMMODATIONS

Through partnership with SIG SAUER®, we offer special rate arrangements with local hotels in Exeter, Dover, and Portsmouth NH, all within 10-30 minutes of the Academy.




TRANSPORTATION

The SIG SAUER Academy is about 30 minutes east of Manchester, New Hampshire Airport (MHT), and about an hour north of Boston International Airport (BOS) in Massachusetts. Some SIG SAUER partner hotels also offer students free shuttle access to and from the Academy.



EXETER

Boasting tree-lined streets and a wealth of historical architecture, Exeter is a quick 10 minutes from the Academy and hosts three of our preferred hotels. With ample restaurants, shopping and night life, this picturesque river town is a convenient place to stay while training at the Academy and is roughly 10 miles inland from the coast.



PORTSMOUTH

Venture into downtown Portsmouth, where you'll find a steady mix of modern and historic flair. From cobblestone-lined streets and historic buildings, to waterfront dining and local breweries, Portsmouth is not to be missed while here.



SIG SAUER, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000

An ISO 9001:2015 Certified Company. Manufacturing in the U.S.A.

All trademarks, service marks, trade names, trade dress, product names and logos appearing in this catalog are the property of their respective owners. No trademark or service mark appearing in this catalog may be used without the prior written consent of the owner.

[sigsauer.com](https://www.sigsauer.com)

MKT0478 REV02