

2019 DEFENSE STRATEGIES

PRODUCTS

SIGSAUERTM
NEVER SETTLE

ADVANCED WEAPON SYSTEMS FOR DEFENSE

Designed, engineered, and manufactured in America, and ready to perform whenever and wherever the need arises.

SIG SAUER is combining industry-leading product innovation with decades of battle-tested experience to engineer the toughest, and most accurate pistols, rifles, optics, suppressors, and ammunition for the military and federal agencies. It's our mission at SIG SAUER to provide our elite end-users with a complete weapons system they can depend on to prevail under any circumstance.



SIG SAUER[™]
NEVER SETTLE



TABLE OF CONTENTS

PISTOLS	
P320	2
P365	8
P226	10
P229	12
SP2022	14
RIFLES	
SIG MCX	16
SIG MCX RATTLER	20
SIG MPX	22
SIG516G2	24
SIG716G2 DMR	26
SIG716G2	28
SIGM400	30
AMMUNITION	32
ELECTRO-OPTICS	34
SUPPRESSORS	42
TRAINING FIREARMS	46
SIG SAUER ACADEMY	48

P320[®]

THE MOST ADAPTABLE PISTOL EVER.

SERIALIZED, STAINLESS STEEL FRAME

Unique design gives you the freedom to change calibers, sizes, and fit – quickly and easily.



1. CONVERT CALIBERS:

9mm / 40 S&W

2. CHANGE SIZE:

Full-Size / Carry / Compact

3. CHOOSE GRIP FIT:

Large / Medium / Small



Interchangeable grip modules provide optimal grip circumference without adding a bulky backstrap.

EXCEPTIONAL TRIGGER

A smooth, crisp trigger pull and short tactile reset deliver heightened accuracy.

SAFETY WITHOUT COMPROMISE

- Striker Safety
- Disconnect Safety
- 3-Point Takedown Safety
 1. Remove magazine
 2. Lock slide to rear
 3. Rotate take-down lever for disassembly without tools or trigger manipulation

THE STRIKER-FIRED STANDARD IN MODULARITY AND ADAPTABILITY.

SLIDE ASSEMBLY



FULL



COMPACT/CARRY



SUB COMPACT

PARTS LIST

Serialized Stainless Steel Frame

SLIDE ASSEMBLIES

Full-Size
Compact/Carry

BARRELS

119.38 mm / 4.7" Full-Size
99.0 mm / 3.9" Compact/Carry
109.22 mm / 4.3" Compact Threaded
91.4 mm / 3.6" Subcompact/XCOMPACT

GRIP MODULES

STANDARD

Compact S/M/L
Carry S/M/L
Full-Size S/M/L

XSERIES

Compact S/M/L
Carry S/M/L
Full-Size S/M/L

MAGAZINES

Compact
Full-Size/Carry
Extended
(18 Rounds - 40 S&W)
(21 Rounds - 9mm)



SUPPRESSOR HEIGHT SIGHTS



AVAILABLE WITH MANUAL SAFETY



AVAILABLE WITH FLAT TRIGGER



SPECIFICATIONS	FULL-SIZE	CARRY	COMPACT
OVERALL LENGTH	205 mm / 8.1"	182 mm / 7.2"	182 mm / 7.2"
OVERALL HEIGHT	139 mm / 5.5"	139 mm / 5.5"	134 mm / 5.3"
BARREL LENGTH	119 mm / 4.7"	99 mm / 3.9"	99 mm / 3.9"
SIGHT RADIUS	167 mm / 6.6"	147 mm / 5.8"	147 mm / 5.8"
WEIGHT WITH MAGAZINE	836 g / 29.5 oz	751 g / 26.5 oz	731 g / 25.8 oz

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

P320[®]

THE CHOSEN ONE

Selected as the official sidearm of the U.S. Army for its uniquely innovative modularity, uncompromising performance, and unmatched capability - the M17 has redefined the definition of the combat handgun forever.



M17

P320-M17 MS

9mm

- ▶ Coyote Full-Size Slide / Carry Grip
- ▶ 119 mm / 4.7" Barrel
- ▶ Night Sight Rear Plate w/SIGLITE[®] Front
- ▶ Ambidextrous Manual Safety
- ▶ Black Controls
- ▶ 17 / 21 Round Magazines
- ▶ Available without Manual Safety
- ▶ Loaded Chamber Indicator

Available in
Black

**P320-M18 MS**

9mm

- ▶ Coyote Compact Slide / Carry Grip
- ▶ 99 mm / 3.9" Barrel
- ▶ Night Sight Rear Plate w/SIGLITE® Front
- ▶ Ambidextrous Manual Safety
- ▶ 17 / 21 Round Magazines
- ▶ Loaded Chamber Indicator
- ▶ Available without Manual Safety
- ▶ Black Controls

Available in
Black**P320 XCARRY**

9mm

- ▶ Compact Slide / XCARRY Grip
- ▶ 99 mm / 3.9" Barrel
- ▶ Night Sight Rear Plate w/X-RAY3® Front
- ▶ 17 Round Magazine (Optional 21 Round Magazine)
- ▶ Loaded Chamber Indicator
- ▶ Optional Magwell and Grip Weight Available
- ▶ Optional Curved Trigger

Available with Dovetail Sights
and Optic Cover Plate**P320 XCOMPACT**

9mm

- ▶ Sub-Compact Length Slide / XCOMPACT Grip
- ▶ 91 mm / 3.6" Barrel
- ▶ Night Sight Rear Plate w/X-RAY3® Front
- ▶ 15rd Magazine
- ▶ Loaded Chamber Indicator
- ▶ Optional Curved Trigger

Available with Dovetail Sights
and Optic Cover Plate**P320 XFULL**

9mm

- ▶ Full-Size Slide / XCARRY Grip
- ▶ 119 mm / 4.7" Barrel
- ▶ Night Sight Rear Plate w/X-RAY3® Front
- ▶ 17 Round Magazine (Optional 21 Round Magazine)
- ▶ Loaded Chamber Indicator
- ▶ Optional Magwell and Grip Weight Available
- ▶ Optional Curved Trigger

Available with Dovetail Sights
and Optic Cover Plate

SPECIFICATIONS	M17	M18	XCARRY	XCOMPACT	XFULL
OVERALL LENGTH	203 mm / 8.0"	188 mm / 7.4"	188 mm / 7.4"	178 mm / 7.0"	208 mm / 8.2"
OVERALL HEIGHT	140 mm / 5.5"	140 mm / 5.5"	140 mm / 5.5"	134 mm / 5.3"	140 mm / 5.5"
OVERALL WIDTH	40.6 mm / 1.6"	40.6 mm / 1.6"	33.0 mm / 1.3"	33.0 mm / 1.3"	33.0 mm / 1.3"
BARREL LENGTH	119 mm / 4.7"	99 mm / 3.9"	99 mm / 3.9"	91 mm / 3.6"	119 mm / 4.7"
SIGHT RADIUS	167 mm / 6.6"	147 mm / 5.8"	147 mm / 5.8"	140 mm / 5.5"	167 mm / 6.6"
WEIGHT (WITH MAG)	0.84 kg / 29.5 oz	0.76 kg / 27.0 oz	0.76 kg / 27.0 oz	0.72 kg / 25.3 oz	0.84 kg / 29.5 oz
MAG CAPACITY	17 / 21 RDS	17 / 21 RDS	17 RDS	15 RDS	17 RDS

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

P320[®]

MODULAR HANDGUN SYSTEM

The state-of-the-art SIG SAUER P320 has quickly become one of the most sought after pistols on the market today. With unprecedented modularity, and unmatched capabilities, the P320 is the choice of the military and elite forces across the globe.



P320 FULL SIZE

9mm / 40 S&W

- ▶ Full-Size Slide / Full-Size Grip
- ▶ 119 mm / 4.7" Barrel
- ▶ SIGLITE[®] Night Sights or Contrast Sights Available
- ▶ 17 (9mm) / 14 (40S&W) Round Magazine
- ▶ Modular Striker-Fired Pistol



P320® CARRY

9mm / 40 S&W

- ▶ Compact Slide / Full-Length Grip
- ▶ 99 mm / 3.9" Barrel
- ▶ SIGLITE® Night Sights or Contrast Sights Available
- ▶ 17 (9mm) / 14 (40S&W) Round Magazine
- ▶ Modular Striker-Fired Pistol



P320 COMPACT MS

9mm / 40 S&W

- ▶ Compact Slide and Grip
- ▶ 99 mm / 3.9" Barrel
- ▶ SIGLITE® Night Sights or Contrast Sights Available
- ▶ 15 (9mm) / 13 (40S&W) Round Magazine
- ▶ Ambidextrous Manual Safety
- ▶ Modular Striker-Fired Pistol



P320 COMPACT

9mm / 40 S&W

- ▶ Compact Slide and Grip
- ▶ 99 mm / 3.9" Barrel
- ▶ SIGLITE® Night Sights or Contrast Sights Available
- ▶ 15 (9mm) / 13 (40S&W) Round Magazine
- ▶ Modular Striker-Fired Pistol

SPECIFICATIONS	FULL SIZE	CARRY	COMPACT MS	COMPACT
OVERALL LENGTH	203 mm / 8.0"	183 mm / 7.2"	183 mm / 7.2"	183 mm / 7.2"
OVERALL HEIGHT	140 mm / 5.5"	140 mm / 5.5"	134 mm / 5.3"	134 mm / 5.3"
OVERALL WIDTH	33.0 mm / 1.3"	33.0 mm / 1.3"	33.0 mm / 1.3"	33/0 mm / 1.3"
BARREL LENGTH	119 mm / 4.7"	99 mm / 3.9"	91 mm / 3.9"	91 mm / 3.9"
SIGHT RADIUS	167 mm / 6.6"	147 mm / 5.8"	147 mm / 5.8"	147 mm / 5.8"
WEIGHT (WITH MAG)	0.84 kg / 29.5 oz	0.75 kg / 26.5 oz	0.73 kg / 25.8 oz	0.73 kg / 29.8 oz
MAG CAPACITY	17 RDS (9mm), 14 RDS (40)	17 RDS (9mm), 14 RDS (40)	15 RDS (9mm), 13 RDS (40)	15 RDS (9mm), 13 RDS (40)

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

P365[®]

EVERYDAY CARRY WITH 10+1 FULL-SIZE CAPACITY

Introducing the game changing P365 concealed carry pistol. This high capacity micro-compact pistol is smaller and lighter than other pistols in its class. The P365 is a striker-fired pistol with the clean, crisp trigger pull you expect from SIG, and features a high-capacity, patented modified double-stack magazine for a 10+1 full-size capacity, with 12-round factory made magazines available for 13-round capacity.



P365 NITRON[®] MICRO-COMPACT

9mm

- ▶ NITRON[®] Stainless Steel Slide
- ▶ 69 mm / 3.1" Barrel
- ▶ X-RAY3[™] Day/Night Sights
- ▶ Includes (1) 10rd Flush Fit Magazine and (1) 10rd Extended Magazine
- ▶ Front Cocking Serrations
- ▶ Only 1" Wide

AWARD WINNING P365

The P365 has won numerous product awards throughout 2018 including:
Guns & Ammo - Handgun of the Year, Industry Choice Awards - Handgun of the Year,
Ballistics Best - Editors Choice Compact Semi-Automatic Pistol, NASGW-POMA
Caliber Award - Best Overall Product, Golden Trigg Award - Innovator in Firearms





P365 MANUAL SAFETY

9mm

- ▶ NITRON® Stainless Steel Slide
- ▶ 69 mm / 3.1" Barrel
- ▶ X-RAY3™ Day/Night Sights
- ▶ Includes (1) 10rd Flush Fit Magazine and (1) 10rd Extended Magazine
- ▶ Ambidextrous Manual Safety
- ▶ Front Cocking Serrations

SPECIFICATIONS	P365
OVERALL LENGTH	148 mm / 5.8"
OVERALL HEIGHT	109 mm / 4.3"
OVERALL WIDTH	25.4 mm / 1.0"
BARREL LENGTH	69 mm / 3.1"
SIGHT RADIUS	124 mm / 4.9"
WEIGHT (WITH MAG)	0.50 kg / 17.8 oz
MAG CAPACITY	10+1 RDS (FLUSH FIT, EXT) 12+1 RDS (EXTENDED +)



10+1 ROUND
FLUSH FIT



10+1 ROUND
EXTENDED



12 +1 ROUND
EXTENDED

144 MM / 5.8"



P365 SMALL SIZE

The revolutionary new concealed carry pistol that gives you more capacity, more concealability, and more capability. It's the one gun you can carry 365 days of the year.



109 MM
4.3"

25.4 MM
1.0"

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

P226[®]

CLASSIC LINE PISTOL

Designed for ultimate performance, carried by elite forces, and proven to be the premier combat pistol.



P226 LEGION

9mm

- ▶ SAO
- ▶ Nitron[®] Stainless Steel Slide/Frame
- ▶ 112 mm / 4.4" Chrome Lined DLC Barrel
- ▶ X-RAY3[™] Day/Night Sights
- ▶ 15 Round Magazine
- ▶ Master Shop Designed Trigger
- ▶ Black G10 Checkered Grips w/Legion Medallion
- ▶ Threaded Barrel Available



LEGION SERIES



P226[®] LEGION

9mm

- ▶ DA/SA
- ▶ Nitron[®] Stainless Steel Slide/Frame
- ▶ 112 mm / 4.4" Chrome Lined DLC Barrel
- ▶ X-RAY3[™] Day/Night Sights
- ▶ 15 Round Magazine
- ▶ Master Shop Designed Trigger
- ▶ Black G10 Checkered Grips w/Legion Medallion
- ▶ Threaded Barrel Available



MK25

9mm

- ▶ Nitron Stainless Steel Slide
- ▶ 112 mm / 4.4" Barrel
- ▶ SIGLITE[®] Night Sights or Contrast Sights Available
- ▶ 15 Round Magazine
- ▶ Corrosion-Resistant Internal Coating
- ▶ Phosphate-Coated Chrome-Lined Barrel
- ▶ Anchor Engraving, UID Label



P226 NITRON

9mm / 40 S&W

- ▶ Nitron Stainless Steel Slide / Alloy Frame
- ▶ 112 mm / 4.4" Barrel
- ▶ SIGLITE Night Sights or Contrast Sights Available
- ▶ 15 (9mm) / 12 (40S&W) Round Magazine
- ▶ One-Piece Ergonomic Grip



P226 TACOPS

9mm

- ▶ DA/SA
- ▶ Elite Beavertail Frame
- ▶ Nitron Stainless Steel Slide
- ▶ SIGLITE[®] Night Sights
- ▶ Short Reset Trigger
- ▶ 20 Round Magazine
- ▶ 2-Piece Polymer Magwell Grips
- ▶ Threaded Barrel Available
- ▶ Optional Suppressor Height Sights
- ▶ 112 mm / 4.4" Barrel or 124mm / 4.9 in Barrel

SPECIFICATIONS	LEGION	NITRON	TACOPS	MK25
OVERALL LENGTH	203 mm / 8.0"	196 mm / 7.7"	206 mm / 8.1"	196 mm / 7.7"
OVERALL HEIGHT	140 mm / 5.5"	140 mm / 5.5"	140 mm / 5.5"	140 mm / 5.5"
OVERALL WIDTH	38.0 mm / 1.5"	38.0 mm / 1.5"	38.0 mm / 1.5"	38.0 mm / 1.5"
BARREL LENGTH	112 mm / 4.4"	112 mm / 4.4"	112 mm / 4.4"	112 mm / 4.4"
SIGHT RADIUS	160 mm / 6.3"	160 mm / 6.3"	160 mm / 6.3"	160 mm / 6.3"
WEIGHT (WITH MAG)	.975 kg / 34.4 oz	.975 kg / 34.4 oz	.975 kg / 34.4 oz	.975 kg / 34.4 oz
MAG CAPACITY	15 RDS (9mm)	15 RDS (9mm), 12 RDS (.40S&W)	15 RDS (9mm)	15 RDS (9mm)

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

P229[®]

CLASSIC LINE COMPACT PISTOL

Compact reliability that's been trusted by law enforcement professionals for decades.



P229 LEGION

9mm

- ▶ SAO
- ▶ Nitron® Stainless Steel Slide/Frame
- ▶ 99 mm / 3.9" Chrome Lined DLC Barrel
- ▶ X-RAY3™ Day/Night Sight
- ▶ 15 Round Magazine
- ▶ Master Shop Designed Trigger
- ▶ Black G10 Checkered Grips w/Legion Medallion





P229 NITRON®

9mm / 357 SIG / 40 S&W

- ▶ Nitron Stainless Steel Slide / Alloy Frame
- ▶ 99 mm / 3.9" Barrel
- ▶ SIGLITE® Night Sights or Contrast Sights Available
- ▶ 15 (9mm) / 12 (40S&W, 357 SIG) Round Magazine
- ▶ One-Piece Ergonomic Grip



M11-A1 NITRON

9mm

- ▶ Nitron Stainless Steel Slide / Alloy Frame
- ▶ 99 mm / 3.9" Barrel
- ▶ SIGLITE Night Sights or Contrast Sights Available
- ▶ 15 Round Magazine
- ▶ Two-Piece Grip Plates



SPECIFICATIONS	LEGION	NITRON	M11-A1
OVERALL LENGTH	188 mm / 7.4"	180 mm / 7.1"	180 mm / 7.1"
OVERALL HEIGHT	137 mm / 5.4"	137 mm / 5.4"	137 mm / 5.4"
OVERALL WIDTH	38 mm / 1.5"	38 mm / 1.5"	38 mm / 1.5"
BARREL LENGTH	99 mm / 3.9"	99 mm / 3.9"	99 mm / 3.9"
SIGHT RADIUS	145 mm / 5.7"	145 mm / 5.7"	145 mm / 5.7"
WEIGHT (WITH MAG)	0.90 kg / 31.7 oz	0.90 kg / 31.7 oz	0.84 kg / 29.6 oz
MAG CAPACITY	15 RDS (9mm)	15 RDS (9mm), 12 RDS (.357), 12 RDS (.40)	15 RDS (9mm)

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

SP2022[®]

POLYMER PISTOL

The first polymer pistol tough enough to be called a SIG with all the Classic Line features.



SP2022 NITRON[®]

9mm / 40 S&W

- ▶ Nitron[®] Stainless Steel Slide / Polymer Grip
- ▶ 99mm / 3.9" Barrel
- ▶ SIGLITE[®] Night Sights
- ▶ 15 (9mm) / 12 (40S&W) Round Magazine
- ▶ Loaded Chamber Indicator
- ▶ Available with a Threaded Barrel (9mm Only)
- ▶ Optional Suppressor Height Sights



AVAILABLE WITH A
MANUAL SAFETY



Available in
FDE



SPECIFICATIONS	NITRON	FDE
OVERALL LENGTH	187 mm / 7.4"	180 mm / 7.1"
OVERALL HEIGHT	144 mm / 5.7"	137 mm / 5.4"
OVERALL WIDTH	38 mm / 1.5"	38 mm / 1.5"
BARREL LENGTH	99 mm / 3.9"	99 mm / 3.9"
SIGHT RADIUS	149 mm / 5.9"	145 mm / 5.7"
WEIGHT (WITH MAG)	0.82 kg / 29.0 oz	0.90 kg / 31.7 oz
MAG CAPACITY	15 RDS (9mm), 12 RDS (40S&W)	15 RDS (9mm), 12 RDS (40S&W)

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

SIG MCX[®]

MODULAR RIFLE PLATFORM

OPTIONAL ELECTRO-OPTICS

Available in
FDE



Optional TANGO6T[™]
1-6X24mm Scope



Optional ROMEO4T[™]
Closed Red Dot Sight / JULIET4[™] Magnifier



Thin Folding
Aluminum Stock



Telescoping /
Folding Stock



Collapsible Stock



M4 Collapsible /
Folding Stock

SIG MCX AR CONVERSION KIT


- Convert MIL-SPEC AR Lower Receiver to SIG MCX System
- Complete SIG MCX Upper Receiver Assembly
- Lower Receiver Stock Adapter
- 2-Stage Match Trigger





SIG MCX RATTLER CONVERSION KIT

- ▶ Convert Lower SIG MCX Receiver to Rattler Compact Rifle
- ▶ Complete SIG MCX Rattler Upper Receiver Assembly
- ▶ Rattler Minimalist Stock Included



OPTIONAL SUPPRESSORS



MODX762-QD (300BLK) Fast Attach | PG. 45



SRD762 (300BLK) Direct Thread | PG. 45



MODX556-QD (5.56 NATO) Fast Attach | PG. 45



SRD556 (5.56 NATO) Direct Thread | PG. 45

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

SIG MCX[®]

MODULAR RIFLE PLATFORM

The SIG MCX was engineered for the demands of special operations forces by SIG SAUER[®] for adaptability, sound suppression, and longevity. Cold hammer-forged barrels are user-changeable and available in 5.56 NATO, and 300 Blackout, in 6.75" to 16" lengths, offering the utmost in mission-specific flexibility. The SIG proven internal recoil system offers reduced recoil and a compact platform.



Shown with ROMEO4T Closed Red Dot Sight, JULIET4 Magnifier, MODX762 QD Suppressor, and M-LOK™ Handstop Kit

	SIG MCX 11.5"	SIG MCX 14.5"	SIG MCX CARBINE 16"	SIG MCX 6.75"	SIG MCX 9"	SIG MCX CARBINE 16"
ACTION TYPE	Select Fire (Safe, Semi, Full-Auto)			Select Fire (Safe, Semi, Full-Auto)		
AVAILABLE CALIBERS	5.56 NATO			300BLK		
OPERATING SYSTEM	Gas Piston, Rotating Bolt			Gas Piston, Rotating Bolt		
STOCK	Multiple Configurations			Multiple Configurations		
FOREND TYPE	M-LOK [®]			M-LOK		
WEIGHT W/O MAG	3.4 kg / 7.4 lb	3.5 kg / 7.6 lb	3.6 kg / 7.9 lb	2.81 kg / 6.2 lb	2.94 kg / 6.5 lb	3.6 kg / 7.9 lb
LENGTH EXTENDED	787 mm / 31"	851 mm / 33.5"	901 mm / 36.5"	668 mm / 26.3	724 mm / 28.5"	901 mm / 36.5"
LENGTH COLLAPSED	559 mm / 22"	635 mm / 25"	673 mm / 26.5"	439 mm / 17.3"	495 mm / 19.5"	673 mm / 26.5"
BARREL LENGTH	292 mm / 11.5"	368 mm / 14.5"	406 mm / 16"	171 mm / 6.75	229 mm / 9"	406 mm / 16"
RIFLING	1:7	1:7	1:7	1:5	1:5	1:5
TRIGGER TYPE	Matchlite™ Duo			Matchlite Duo		

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

Shown with TANGO6™
1-6X24mm Scope



SIG MCX 16"

5.56 NATO / 300 BLK | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 406 mm / 16" Barrel
- ▶ Telescoping/Folding 5-Position Stock



CALIBER
300 BLK



CALIBER
5.56 NATO

Shown with ROMEO4T
Closed Red Dot Sight



SIG MCX 11.5"

5.56 NATO | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 292 mm / 11.5" Barrel
- ▶ Telescoping/Folding 5-Position Stock



SIG MCX 6.75"

300 BLK | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 171 mm / 6.75" Barrel
- ▶ Telescoping/Folding 5-Position Stock
- ▶ M-LOK® Handguard
- ▶ Ambidextrous Charging Handle and Controls
- ▶ 30-Round Magazine
- ▶ Flip-Up Iron Sights

Shown with ROMEO4T
Closed Red Dot Sight



SIG MCX 9"

300 BLK | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 229 mm / 9" Barrel
- ▶ Telescoping/Folding 5-Position Stock

RATTLER

SIG MCX SUBGUN

Developed for elite special forces, the SIG MCX Rattler is the most compact rifle in the world. Capable of firing with stock folded from an overall length of 16", it redefines the standard for concealable firepower.



Shown with ROMEO4T™
Closed Red Dot Sight

	RATTLER 300 BLACKOUT	RATTLER 556 NATO
ACTION TYPE	Select Fire (Safe, Semi, Full-Auto)	Select Fire (Safe, Semi, Full-Auto)
AVAILABLE CALIBERS	300BLK	5.56 NATO
OPERATING SYSTEM	Gas Piston, Rotating Bolt	Gas Piston, Rotating Bolt
STOCK	Folding Aluminum	Folding Aluminum
FOREND TYPE	M-LOK®	M-LOK
WEIGHT W/O MAG	2.7 kg / 6.0 lb	2.7 kg / 6.0 lb
LENGTH EXTENDED	607 mm / 24.0"	607 mm / 24.0"
LENGTH COLLAPSED	406 mm / 16.0"	406 mm / 16.0"
BARREL LENGTH	139.7 mm / 5.5"	139.7 mm / 5.5"
RIFLING	1:5	1:7
TRIGGER TYPE	Matchlite™ Duo	Matchlite Duo

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.



SIG MCX RATTLER

5.56 NATO | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 139.7 mm / 5.5" 5.56 Barrel with 3-Prong Flash Hider
- ▶ Telescoping/Folding 5-Position Stock
- ▶ Flip-Up Iron Sights
- ▶ 30-Round Magazine



CALIBER
5.56 NATO



SIG MCX RATTLER

300 BLK | 30 ROUNDS

- ▶ 139.7 mm / 5.5" 300BLK Barrel with 3-Prong Flash Hider
- ▶ Folding Stock
- ▶ M-LOK® Handguard
- ▶ Ambidextrous Charging Handle and Controls
- ▶ Flip-Up Iron Sights
- ▶ 30-Round Magazine



CALIBER
300 BLK

SIG MPX[®]

GAS PISTON SUBGUN

The MPX sets a new standard for performance and quality in the sub-gun category. Featuring AR style controls and a closed bolt piston system, the MPX is designed to fulfill the needs of professional users.



Shown with ROMEO4T™
Closed Red Dot Sight and
SRD9 Suppressor

	MPX	MPX K
ACTION TYPE	Select Fire (Safe, Semi, Full-Auto)	
AVAILABLE CALIBERS	9MM	
OPERATING SYSTEM	Closed, Full Locked Bolt, Short-Stroke Piston System	
STOCK	Telescoping/Folding 5-Position Stock	
FOREND TYPE	M-LOK®	M-LOK
WEIGHT W/O MAG	2.94 kg / 6.5 lb	2.81 kg / 6.19 lb
OVERALL LENGTH	673 mm / 26.5"	571 mm / 22.5"
FOLDED LENGTH	520 mm / 20.5"	444 mm / 17.5"
BARREL LENGTH	203 mm / 8.0"	114 mm / 8.0"
RIFLING	1:10	1:10

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

Shown with ROMEO4T[®]
Closed Red Dot Sight



SIG MPX[®] 8" SBR

9MM | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 203 mm / 8.0" Barrel with A1 Compensator
- ▶ Telescoping/Folding 5-Position Stock
- ▶ Aluminum M-LOK[®] Handguard
- ▶ Fixed Gas Valve



SIG MPX K 4.5" SBR

9MM | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 114 mm / 4.5" Barrel
- ▶ Telescoping/Folding 5-Position Stock
- ▶ Aluminum M-LOK[®] Handguard
- ▶ Fixed Gas Valve



CALIBER
9 MM

516 G2

PISTON DRIVEN AR PLATFORM

An enhanced AR platform with a clean-running, reliable operating system, designed for suppressed use.



Shown with ROMEO4T™Closed Red Dot Sight, JULIET4™ Magnifier, and MODX556 Suppressor

	16" PATROL	14.5" CARBINE	11.5" CQB
ACTION TYPE	Select Fire (Safe, Semi, Full-Auto)		
AVAILABLE CALIBERS	5.56 NATO		
OPERATING SYSTEM	4-Position Adjustable Short-Stroke Gas Piston System		
STOCK	6-Position Collapsible Stock		
FOREND TYPE	MIL-STD 1913 Quad Rail Handguard		
WEIGHT W/O MAG	3.36 kg / 7.4 lb	3.26 kg / 7.2 lb	3.13 kg / 6.9 lb
LENGTH EXTENDED	921 mm / 36.3"	884 mm / 34.8"	808 mm / 31.8"
LENGTH COLLAPSED	838 mm / 33"	800 mm / 31.5"	724 mm / 28.5"
BARREL LENGTH	406 mm / 16.0"	368 mm / 14.5"	292 mm / 11.5"
RIFLING	1:7		
TRIGGER TYPE	MIL-SPEC		

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

Shown with TANGO6T[®]
1-6X24mm Scope



SIG516[®] G2 14.5" CARBINE

5.56 NATO | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 406 mm / 14.5" Hammer-Forged Barrel
- ▶ MIL-STD 1913 Quad Rail Handguard
- ▶ 6-Position Adjustable Stock
- ▶ Ambidextrous Controls



SIG516 G2 CQB 11.5"

5.56 NATO | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 292 mm / 11.5" Hammer-Forged Barrel
- ▶ MIL-STD 1913 Quad Rail Handguard
- ▶ 6-Position Adjustable Stock
- ▶ Ambidextrous Controls



Available in
FDE



CALIBER
5.56 NATO

716 G2 DMR

DESIGNATED MARKSMAN RIFLE



Shown with TANGO6 5-30X56mm Scope,
ALPHA2 Tactical Mount, MIL-SRD762Ti-QD

16" DMR	
ACTION TYPE	Select Fire (Safe, Semi, Full-Auto)
AVAILABLE CALIBERS	7.62x51 NATO
OPERATING SYSTEM	Short-Stroke Gas Piston w/ Multi-Position Adjustable Gas Block
STOCK	6-Position Collapsible Magpul® Stock
FOREND TYPE	M-LOK®
WEIGHT W/O MAG	3.9 kg / 8.7 lb
LENGTH EXTENDED	1,105 mm / 43.5"
LENGTH COLLAPSED	858 mm / 33.7"
BARREL LENGTH	406 mm / 16"
RIFLING	1:10
TRIGGER TYPE	2-Stage Match Trigger

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

**SIG716 G2 DMR 16"**

7.62x51 NATO | 20 ROUNDS

- ▶ Semi-Auto
- ▶ 406 mm / 16" Hammer-Forged Barrel
- ▶ Lightweight M-LOK® Handguard
- ▶ Improved Lightweight Design
- ▶ 3-Position Adjustable Gas Valve
- ▶ 2-Stage Match Trigger
- ▶ 20 MOA Top Rail

Available in
FDECALIBER
7.62X51 NATO

716 G2 PATROL

PISTON DRIVEN AR PLATFORM

An enhanced AR platform with a clean-running, reliable operating system.



Shown with TANGO6T 1-6X24mm Scope, ALPHA2 Tactical Mount

16" PATROL	
ACTION TYPE	Select Fire (Safe, Semi, Full-Auto)
AVAILABLE CALIBERS	7.62x51 NATO
OPERATING SYSTEM	Short-Stroke Gas Piston w/ Multi-Position Adjustable Gas Block
STOCK	6-Position Collapsible Magpul® Stock
FOREND TYPE	MIL-STD 1913 M-LOK® Handguard
WEIGHT W/O MAG	3.9 kg / 8.7 lb
LENGTH EXTENDED	1,105 mm / 43.5"
LENGTH COLLAPSED	858 mm / 33.7"
BARREL LENGTH	406 mm / 16"
RIFLING	1:10
TRIGGER TYPE	2-Stage Match Trigger

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.



SIG716 G2 PATROL 16"

7.62x51 NATO | 20 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 16-inch Hammer-Forged Barrel
- ▶ Lightweight M-LOK® Handguard
- ▶ Improved Lightweight Design
- ▶ 6-Position Telescoping Stock
- ▶ Ambidextrous Charging Handle
- ▶ 3-Position Gas Valve



Available in
FDE



CALIBER
7.62X51 NATO

SIGM400[®]

DIRECT IMPINGEMENT AR PLATFORM

Designed for elite forces and refined by the world’s best professional shooters to be the ultimate AR performance rifle.



Shown with ROMEO4T™
Closed Red Dot Sight

	11.5" PRO	14.5" PRO	16" PRO	14.5" CARBINE	11.5" SBR
ACTION TYPE	Select Fire (Safe, Semi, Full-Auto)				
AVAILABLE CALIBERS	5.56 NATO				
OPERATING SYSTEM	Direct Impingement Gas				
STOCK	6-Position Collapsible Stock				
FOREND TYPE	Free-Float M-LOK®			Polymer	MIL-STD 1913 Quad Rail
WEIGHT W/O MAG	2.7 kg / 6.0 lb	2.8 kg / 6.3 lb	3.0 kg / 6.7 lb	3.26 kg / 6.5 lb	3.13 kg / 6.19 lb
LENGTH EXTENDED	770 mm / 30.3"	845 mm / 33.3"	921 mm / 36.3"	884 mm / 33.3"	808 mm / 30.3"
LENGTH COLLAPSED	686 mm / 27.0"	762 mm / 30.0"	838 mm / 33"	800 mm / 30.0"	724 mm / 27.0"
BARREL LENGTH	292 mm / 11.5"	368 mm / 14.5"	406 mm / 16.0"	368 mm / 14.5"	292 mm / 11.5"
RIFLING	1:7				
FOREND TYPE	2-Stage Match			MIL-SPEC	

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

Shown with Optional
Carry Handle



SIGM400® CARBINE 14.5"

5.56 NATO | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 14.5" Barrel
- ▶ Classic Polymer Handguard
- ▶ Folding Rear Sight with "F" Marked Front
- ▶ 6-Position Telescoping Stock
- ▶ 30-Round Magazine

Shown with ROMEO4T™
Closed Red Dot Sight



SIGM400 SBR 11.5"

5.56 NATO | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ 11.5" Barrel
- ▶ Aluminum Quad Rail Handguard
- ▶ Folding Rear Sight with "F" Marked Front
- ▶ 6-Position Telescoping Stock
- ▶ 30-Round Magazine



SIGM400 PRO 11.5"

5.56 NATO | 30 ROUNDS

- ▶ Select Fire (Safe, Semi, Full-Auto)
- ▶ Cold Hammer-Forged 11.5" Barrel
- ▶ Free-Float M-LOK® Handguard
- ▶ Folding Sights
- ▶ 6-Position Telescoping Stock
- ▶ 30-Round Magazine
- ▶ Also Available in 16" and 14.5" Lengths



CALIBER
5.56 NATO

AMMO

ELITE PERFORMANCE AMMUNITION

SIG V-CROWN® & FMJ

JHP, BONDED, and FMJ Pistol Cartridges

SIG V-Crown defensive rounds combine perfected material specifications and fine-tuned design innovations. Featuring a stacked hollow point cavity, to deliver exceptional on target energy, with maximum weight retention, and optimal expansion for the ultimate in stopping power.

Engineered to match SIG V-Crown™ ballistics for a more seamless transition from training to carry ammunition. SIG FMJ delivers round after round of affordable, premium-level performance. Featuring dependable primers, SIG FMJ durable copper-jacketed bullets match the point-of-impact, recoil, and energy of the SIG V-Crown loads.



9MM LUGER BONDED ROUND



45 AUTO



223 FMJ 308 FMJ



223 MATCH 308 MATCH

CALIBER	BULLET WEIGHT (g)	BULLET STYLE	VELOCITY IN FPS					ENERGY IN FT-LBS					TRAJECTORY IN INCHES				
			MUZZLE	100 YDS	200 YDS	300 YDS	400 YDS	500 YDS	MUZZLE	100 YDS	200 YDS	300 YDS	400 YDS	500 YDS	100 YDS	200 YDS	300 YDS

SIG MATCH RIFLE

223 REM	77	OTM	2750	2499	2262	2038	1828	1633	1293	1068	875	710	571	456	0.0	-4.1	-15.0	-34.3	-64.1
308 WIN	168	OTM	2700	2505	2318	2138	1967	1805	2719	2340	2003	1705	1443	1215	0.0	-4.1	-14.6	-32.8	-59.9
308 WIN	175	OTM	2600	2424	2256	2094	1939	1791	2626	2284	1977	1703	1460	1246	0.0	-2.9	-12.7	-30.4	-57.4

CALIBER	BULLET WEIGHT (g)	BULLET STYLE	VELOCITY IN FPS				ENERGY IN FT-LBS				TRAJECTORY IN INCHES		
			MUZZLE	25 YDS	50 YDS	100 YDS	MUZZLE	25 YDS	50 YDS	100 YDS	25 YDS	50 YDS	100 YDS

SIG V-CROWN

9MM LUGER	115	JHP	1185	1125	1076	1000	359	324	296	255	0.6	0.0	-7.0
	124		1165	1102	1051	973	374	334	304	261	0.6	0.0	-7.3
	147		985	958	934	891	317	300	285	259	0.9	0.0	-9.5
45AUTO	185	JHP	995	953	917	855	407	373	345	300	0.9	0.0	-9.8
	200		918	900	884	853	374	360	347	323	0.8	0.0	-10.1
	230		830	810	791	755	352	335	319	291	1.4	0.0	-13.4
9MM BONDED	124	BV-CROWN	1200	1129	1072	986	396	351	316	267	0.6	0	-7.1
	147	BV-CROWN	985	958	934	891	317	300	285	259	0.9	0	-9.5

SIG FMJ

9MM LUGER	115	FMJ	1185	1125	1076	999	359	323	296	255	0.6	0.0	-7.0
	124	FMJ	1165	1111	1065	993	374	340	312	272	0.6	0.0	-7.1
	147	FMJ	985	960	936	895	317	301	286	261	0.6	0.0	-9.4
45AUTO	230	FMJ	830	816	803	777	352	340	329	308	1.4	0.0	-12.9
223 REM	55	FMJ	3240	2875	2538	2225	1282	1009	787	605	0.0	-1.2	-7.9
308 WIN	150	FMJ	2900	2667	2447	2236	2801	2370	1993	1665	0.0	-1.9	-9.6

FEATURES

- ▶ Brass Cartridge Cases
- ▶ Dependable Primers
- ▶ Clean Burning Powders
- ▶ Fully Reloadable
- ▶ Made in the U.S.A.
- ▶ Manufactured to SAAMI Standards

SIG MATCH

Precision Match Grade

SIG Match Grade rifle rounds are engineered to excel in today's precision auto-loading platforms, as well as bolt-action rifles. Utilizing optimized shell case metallurgy and premium primers, each round is precision-loaded using state-of-the-art, electromechanical monitoring for geometric conformity, and all are 100% inspected.

PRECISION 300 BLACKOUT

FEATURES

- ▶ Minimal Velocity Variation
- ▶ Precision Loaded for Conformity
- ▶ Renowned Sierra MatchKing® Projectile for OTM Rounds
- ▶ Temperature Stable Propellants



300BLK SUBSONIC



300BLK SUPERSONIC

SIG 300BLK Subsonic 220gr

SIG propellant chemistry has been optimized to produce the ideal amount of down-bore pressure for cycling both piston and gas-driven platforms, with or without sound suppression. SIG 300BLK Subsonic rounds minimize recoil, sound, and muzzle flash, while maximizing the number of hits on target.

SIG 300BLK Supersonic 125gr

The ultimate rounds for precision shots at extended range, SIG 300BLK Supersonic features Sierra MatchKing® projectiles in a pointed meplat design for maximum velocity retention – yielding flatter trajectories and more on-target energy.



Engineered with the SIG MCX® mission configurable rifle in mind, SIG 300BLK runs with all standard NATO magazines.

CALIBER	BULLET WEIGHT (g)	BULLET STYLE	BARREL LENGTH	VELOCITY IN FPS				APPLICATION	FEATURES
				5.5 INCH	6.75 INCH	9.0 INCH	16.0 INCH		
SIG 300BLK									
300BLK SUPERSONIC	125 (8.10G)	OTM	ALL	1767	1825	1936	2200	MATCH GRADE	› SIERRA MATCHKING PROJECTILE › EXCELLENT VELOCITY CONSISTENCY › POINTED TIP FOR SMOOTH FEEDING › BRASS SHELL CASE
300BLK SUPERSONIC	120 (7.78G)	HT	LESS THAN 9"	1808	1897	N/A	N/A	DUTY	› OPTIMIZED FOR EXPANSION FROM SHORT BARRELS › 1.8X EXPANSION › VIRTUALLY 100% WEIGHT RETENTION › BLACK COATED BRASS SHELL CASE
300BLK SUBSONIC	220(14.26G)	OTM	ALL	825	850	905	1000	MATCH GRADE	› SIERRA MATCHKING PROJECTILE › EXCELLENT VELOCITY CONSISTENCY › BOATTAIL › BRASS SHELL CASE

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

OPTICS

SIG SAUER® ELECTRO-OPTICS

Every revolution begins with a need for change. Assembling an elite team of leading electro-optics experts from around the world, we tasked them to engineer and design truly innovative optics which exceed the grueling expectations of today's modern soldiers. Fusing together advanced electronic technologies, with superior high-definition glass, and military-inspired designs to achieve maximum clarity, accuracy, and performance; SIG SAUER Electro-Optics are reliable shot after shot.

TANGO6T™

TACTICAL RIFLESCOPES



Selected by the U.S. Army as the official optic for the Squad Designated Marksman Rifle (SDMR) System. Similar variant selected by USSOCOM as the Squad Variable Power Scope (S-VPS)

TANGO6T 1-6X24 FFP

30MM MAINTUBE

- ▶ Designed for AR Platforms
- ▶ Ideal for Close to Mid-Range Tactical Engagements
- ▶ Fiber Optic Power Indicator
- ▶ Multiple Reticle Options Available
- ▶ Daylight Bright Illumination with Locking Illumination Dial
- ▶ Assembled in the U.S.A.



Available
in Black

Standard Features

- ▶ 6x Super-Zoom Advanced Optical System
- ▶ Throwlever Included with all TANGO6T SKUs
- ▶ Fast Focus Eyepiece
- ▶ Waterproof (IPX-7 rated) and Fog-Proof Performance
- ▶ Night Vision Illuminated Reticle Settings with Locking Illumination Dial
- ▶ Laser Engraved Mounting Line to Align Riflescope to Scope Rings (TANGO6T Models)
- ▶ Proprietary Flat Dark Earth (FDE) or Black Anodize Finish Options (TANGO6T Models)

RETICLES

1-6X24MM





5.56/7.62 Horseshoe
Dot FFP

7.62 Extended Range

M855A1 HELLFIRE

MOA Milling HELLFIRE

3 Gun HELLFIRE





3-18X44MM
5-30X56MM

DEV-L MOA
Milling, FFP

DEV-L MRAD
Milling, FFP

MOA Milling, FFP

MRAD Milling, FFP



MOA/MRAD
MILLING

MOA/MRAD
DEV-L



Selected by SOCOM for
S-VPS contract.

TANGO6™ 1-6X24 SFP

30MM MAINTUBE

- ▶ Designed for AR Platforms
- ▶ Ideal for Close to Mid-Range Tactical Engagements
- ▶ Fiber Optic Power Indicator
- ▶ Multiple Reticle Options Available
- ▶ HellFire® Reticles: Fiber Optics to Vary Intensity of Central Aiming Point (SFP)
- ▶ Daylight Bright Illumination with Locking Illumination Dial



Available in
FDE



TANGO6 3-18X44 WITH LEVELPLEX

34MM MAINTUBE

- ▶ Designed for AR and Bolt Action Platforms
- ▶ Ideal for Mid-Range Tactical Engagements and Hunting
- ▶ Offered in FFP with Multiple Reticle Options
- ▶ LEVELPLEX Anti-Cant System
- ▶ Fiber Optic Power Indicator



TANGO6 5-30X56 WITH LEVELPLEX

34MM MAINTUBE

- ▶ Designed for AR and Bolt Action Platforms
- ▶ Long-Range Precision Shooting, Tactical Engagements and Long-Range Hunting
- ▶ Fiber Optic Power Indicator
- ▶ Offered in FFP with Multiple Reticle Options
- ▶ LEVELPLEX Anti-Cant System



ALPHA3™ SCOPE MOUNTS

30mm and 34mm 0 MOA and 20 MOA Cant configurations

- ▶ Designed for AR and Bolt Action Platforms
- ▶ 0 or 20 MOA Cant Options
- ▶ Machined Steel Alloy
- ▶ Steel Weaver-Style Clamps
- ▶ To Rail (1/2in Nut): 65in/lbs
- ▶ To Scope (T15-TORX): 25in/lbs
- ▶ Assembled in the U.S.A.

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

BDX



Ballistic Data Xchange

WHAT IS BDX?

The SIG SAUER® Ballistic Data Xchange (BDX) rangefinder, riflescope, and app has transformed long-range targets with its unprecedented simplicity and accuracy. KILO BDX rangefinders and SIERRA3BDX™ riflescopes combine the power of Applied Ballistics Data with Bluetooth technology allowing you to get the most accurate and ethical shot.

BDX RANGEFINDER: The KILO BDX rangefinder gives you unprecedented capability in the palm of your hand. Simply set your ballistic profile in the SIG BDX app and when you range your target, the KILO BDX™ will automatically provide an elevation holdover and windage adjustment. Adjust accordingly and take your shot.

BDX RIFLESCOPE: The powerful SIERRA3BDX riflescope revolutionizes the art of holdover calculation. Again, set your ballistic profile in the SIG BDX app, sync the app with your SIERRA3BDX riflescope and then configure multiple holdover points in the digital ballistic reticle. When you view your target through the reticle each of your exact holdover points is illuminated. No more turrets to adjust or calculations to make.

BDX SYSTEMS: When used together KILO BDX rangefinders and SIERRA3BDX riflescopes combine to create the most advanced optics system available on the market today. Simply configure your ballistics profile in the BDX app, pair your KILO BDX rangefinder with the app and then bond it to your SIERRA3BDX riflescope. When you range your target the KILO BDX rangefinder automatically sends your specific holdover data to your SIERRA3BDX riflescope giving you an illuminated holdover dot. It's simple and fast.



BDX-R1 DIGITAL
BALLISTIC RETICLE

SIERRA3BDX 6.5-20X52

30MM MAINTUBE
SOSBDX36111

- ▶ Provides Holdover Dot for Hunting out to 800 yards. (Unlimited when Coupled to an ABX/ABE Enabled Device).
- ▶ Digital Focal Plane BDX-R1 Reticle Subtensions Correct with Zoom
- ▶ Blue LED on Power Selector Indicates when Bluetooth is Paired to KILO BDX Rangefinder
- ▶ HD Glass and Coatings for the Best Optical Quality in its Class

Also available: 4.4-14X50 /
4.5-14X44 / 3.5-10X42

Standard Features

- ▶ Integrated BDX Ballistic Data Xchange.
- ▶ Automatic Holdover dot on a Digital Focal Plane
- ▶ Innovative KinETHIC Kinetic Energy Transfer Indicator
- ▶ Dependable Waterproof and Fog-Proof Performance (IPX-7 for Complete Immersion up to 1 Meter)
- ▶ LevelPlex with Auto LevelPlex mode

BDX BALLISTIC DATA EXCHANGE



10X42MM

- BDX™ Ballistics Data Xchange Capable, Providing your BDX Riflescope with an Automatic Illuminated Holdover Dot through Bluetooth Pairing
- Supports Applied Ballistics External for Pairing your KILO with a Kestrel with Onboard Applied Ballistics Elite™
- Revolutionary LightWave DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- HyperScan™ Technology Provides 4 Range Updates Per Second in Scan Mode while RangeLock™ Reports the Last Range Result when Ranging Distant Targets
- Embedded Applied Ballistics Ultralite with Bullet Database and Support for G1/G7 Drag Curves
- Fully Multi-Coated ED Glass Lenses and Phase-Coated Prisms for High Resolution and High Contrast

- ▶ BDX™ Ballistic Data Xchange Capable. Providing your BDX RifleScope with an Automatic Illuminated Holdover Dot Through Bluetooth Pairing
- ▶ Embedded Applied Ballistics Ultralite with Bullet Database and Support for G1/G7 Drag Curves
- ▶ Supports Applied Ballistics External for Pairing your KIL0 with a Kestrel with Onboard Applied Ballistics Elite
- ▶ Low Energy Bluetooth 4.0 for Synchronizing up to 25 Custom Ballistic Profiles Between the Free SIG Ballistic App and Rangefinder
- ▶ KIL02200BDX and KIL02400BDX feature: Advanced OLED Display™, Provides a Smaller, Extremely Precise Targeting Circle along with Miling Features and Ballistic Info Including Holdover Angle, Target Mode, and Shot Angle



7X25MM



7X25MM



6X22MM



6X20MM

2019 SIG SAUER DEFENSE STRATEGIES PRODUCTS CATALOG

ROMEO4T™

MIL-SPEC CLOSED RED DOT SIGHT

ROMEO4T 1X20MM

- ▶ Point-of-Aim is Point-of-Impact
- ▶ Unlimited Eye-Relief
- ▶ Quad Reticle System
- ▶ Ultra-Efficient Red LED Illumination System
- ▶ Lightweight 7075 Aluminum Main Housing and Components




Available in
FDE

Standard Features

- ▶ Designed For Modern Pistols, Carbines, and SMG
- ▶ Short and Medium Range Engagements and Recreational Shooting Across a Wide Range of Calibers and Light Conditions
- ▶ Fully Ruggedized and Impact-Resistant for the Toughest Environments
- ▶ Ultra Durable and Lightweight 7075 Aluminum Main Housing and Components, 1.41" Riser Mount with Additional Lower 1/3 Co-Witness Spacer
- ▶ Comes Standard with Solid and See-Through Lens Covers and Hex Bolt Mount
- ▶ Complete MIL-SPEC 810G Testing, Submersible up to 20 Meters
- ▶ Runtime in Excess of 100,000 Hours with Solar and Battery Usage
- ▶ Ballistic Circle-Dot and Ballistic CirclePlex Reticle Options
- ▶ Users Can Select from 4 Different Integrated Reticle Options (Dot, Circle-Dot, Dot with Holds, Circle-Dot with Holds)



ASSEMBLED IN U.S.A.



2 MOA Red Dot Ballistic Circle-Dot

1 MOA Red Dot Ballistic Circle Quadplex™

ROMEO1PRO™

RUGGEDIZED MINI-REFLEX SIGHT

ROMEO1PRO 1X30MM

- ▶ Lightweight Aircraft Grade CNC Aluminum Housing
- ▶ Features a Molded Glass Aspheric Lens with High Performance Coatings for Superior Light Transmittance and Zero Distortion
- ▶ Manual Illumination Controls that Remember your Last Used Settings




Available in
FDE

Standard Features

- ▶ Our MOTACT™ (Motion Activated Illumination) Powers Up when it Senses Motion and Powers Down when it does not. Provides Optimum Operational Safety and Enhanced Battery Life
- ▶ The Top-Loading Battery Allows for Quick Battery Replacement Without Having to Remove the Sight from the Firearm
- ▶ Dependable Waterproof (IPX-7 rated for Complete Water Immersion up to 1 meter) and Fog-Proof Performance
- ▶ Mounts Directly to all SIG SAUER Pistols with an R2 Optics Cut.
- ▶ Removable Protective Shroud Included
- ▶ Up to 20,000 hours of Battery Life and Available in 3 MOA and 6 MOA dot size and 12 Illumination Settings, Including 2 NV Settings



Removable Protective
Shroud Included



3 MOA Red Dot


6 MOA Red Dot

KILO2400ABS™

DIGITAL BALLISTIC RANGEFINDER


KILO2400ABS 7X25MM

- ▶ Ranges up to 2 Miles with the Revolutionary LightWave DSP™ Technology for the Fastest and Longest Distance Rangefinder Engine
- ▶ Features an Embedded Applied Ballistics Calculator and Bluetooth for Synchronizing with the Free SIG Ballistic App. Available on both iOS and Android Platforms
- ▶ Integrated Temperature, Pressure, and Humidity Sensors for Real-Time Environmental Inputs to the Embedded Ballistic Calculator
- ▶ Digital Compass / Magnetometer / Inclinator Provides Magnetic Heading and Incline for Long Distance Shooting and Coriolis Adjustment
- ▶ Includes a Tripod Adapter, Smartphone Jack WindMETER, Ballistic Nylon Molle Kit Bag, Nylon Carry Pouch, Tactical Pen/Stylus, Lanyard and 3 Spare Batteries
- ▶ New Milling Reticle with 2.4 MRAD Inner Diameter and 3 MRAD Outer Diameter Center Aiming Circle



KILO2400ABS syncs with a smart phone via the Applied Ballistic's Ballistic Solver app. Calculating long-range rifle trajectories for the perfect shot. (Smart phone app display shown.)

KILO2400ABS DISPLAY



Configurable reticle with 3 options: Center Aiming Circle and Horizontal Milling Grid, and Center Aiming Circle and Horizontal and Vertical Milling Grid



Includes free app for Android & iOS, one-piece, solid-machined, tripod mount, TYR water resistant molle gear bag, wind meter, tactical pen/stylus, lanyard, and 3 batteries.

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

JULIET®

MAGNIFIERS

Easily transition between close quarters and medium range targets with a flip of our JULIET magnifier. Alone, or with a Red Dot, the JULIET features a quick-release PowerCam mount that flips easily to one side when not in use. Built-in recoil lugs ensure zero hold even after removing and reinstalling.



JULIET6™ 6X24MM

- ▶ Designed for Carbines and SMG
- ▶ Power and Versatility of a 1-6X Scope, in a Modular System that is Lighter Weight
- ▶ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▶ STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile
- ▶ Assembled in the U.S.A.

Standard Features

- ▶ Quick Release Mount with Built-In Recoil Lugs for a Repeatable Zero
- ▶ PowerCam 90° Mount Pivots to the Side When not Needed
- ▶ Adjustable Height Using Included Spacers
- ▶ Use Stand-Alone or Aligned with a Red Dot Sight
- ▶ Aerospace Grade 6061 Aluminum Housing Ensures a Lifetime of Reliable Service
- ▶ Waterproof Rated IPX-8 (20 Meters for 1 Hour)



PowerCam 900 Mount



Quick Release Mount with Built-in Recoil Lugs



JULIET4™ 4X24MM

- ▶ Designed for Carbines and SMG
- ▶ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▶ STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile
- ▶ Power and Versatility of a 1-4X Scope, in a Modular System that is a Lighter Weight
- ▶ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▶ Use Stand-Alone or Aligned with a Red Dot Sight
- ▶ Assembled in the U.S.A.



Available in
FDE



JULIET3 3X24MM

- ▶ Designed for Carbines and SMG
- ▶ Adjustable Base Mount Provides Customization for Red Dot Sight Combination
- ▶ STEALTH ID™ Trapezoidal Design Breaks up the Optic Shape and Visibility Profile
- ▶ Power and Versatility of a 1-3x Scope, in a Modular System That is a Lighter Weight
- ▶ Adjustable base Mount Provides Customization for Red Dot Sight Combination
- ▶ Use Stand-Alone or Aligned with a Red Dot Sight
- ▶ Assembled in the U.S.A.

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

SUPPRESSORS

SIGNATURE REDUCTION DEVICES

SIG SAUER engineers have developed the next generation of suppressors. With decades of product design and R&D experience under our belts, suppressors are not treated as bolt-on accessories. At SIG, it is understood that suppressors interact with your firearm system and can affect accuracy, reliability, back pressure, and other critical factors. We design our suppressors to be part of a completely integrated system to maximize overall performance, and as a result we build the most advanced, most dependable suppressors the world has ever seen, or heard.



MOD-X SUPPRESSORS



MODX762



MODX556



MOD-X9



SRD762TI



SRD762



SRD556

MODX556/MODX762



MOD-X9

9MM

- ▶ User-Serviceable
- ▶ Titanium Baffles
- ▶ Shooter can adjust the number of baffles to adjust the overall length when size is more important than sound performance
- ▶ Includes Two Pistons (1/2"x28tpi& M13.5x1LH) and Fixed Barrel Spacer



RIFLE SUPPRESSOR MATERIALS	SIG ADVANTAGE	CALIBER	FIRST TUBELESS RIFLE SUPPRESSORS
TITANIUM Greater Volume, Lightweight, best for Full-Length Barrels INCONEL Best for Short Barrel Rifles, For Heavy Duty use and Greater Durability	▶ Tubeless Design ▶ Precision QD Mounting System ▶ Self-Centering Taper-Lok QD System ▶ Comes with Muzzle Brake ▶ Easy Muzzle Device Timing	.338 LAPUA MAGNUM 7.62NATO/.300WIN MAG/300BLK 5.56NATO	▶ Greater Internal Volume ▶ Greater Sound Reduction ▶ Reduced Flash ▶ Increased Durability ▶ Lighter Weight ▶ Greater Reliability
PISTOL AND RIMFIRE SUPPRESSOR MATERIALS	SIG ADVANTAGE	CALIBER	GRADE 9 TITANIUM TUBES
TITANIUM Greater Volume, Lightweight, best for Full-Length Strength, Lightweight Tubes 17-4 STAINLESS STEEL All 17-4 Stainless Baffles for Greater Durability, Heavy use	▶ User-Serviceable ▶ All Baffles are Stainless Steel ▶ Comes with Alternate Pistons ▶ Titanium Outer Tube	9MM 45AUTO 22LR/22MAGNUM	▶ Baffles Made from 17-4 Stainless Steel for Greater Durability ▶ Piston Suppressors Have 21 Points of Adjustment ▶ SRD45 can use Sub-Caliber Pistons for Multi-Caliber Versatility ▶ Comes with Both Most Common Imperial & Metric Pistons ▶ Fixed barrel Adaptor Included

	CALIBER	SIZE W/ MOUNT	SIZE W/O MOUNT	WEIGHT W/ MOUNT	WEIGHT W/O MOUNT	MOUNT	MATERIAL
RIFLE SUPPRESSORS							
MIL-SRD762Ti	7.62 NATO / .300 WM 300BLK	N/A	236 x 44 mm / 9.3 x 1.75 in	N/A	0.54 kg / 19.1 oz	5/8"-24 tpi Taper-Lok Direct Thread	Grade 5 Titanium
MIL-SRD762-16	7.62 NATO / .300 WM 300BLK	N/A	226 x 44 mm / 8.9 x 1.75 in	N/A	N/A	5/8"-24 tpi Taper-Lok Direct Thread	Inconel 718 and Stainless Steel
MIL-SRD556	5.56 NATO	N/A	157 x 41 mm / 6.2 x 1.62 in	N/A	0.41 kg / 14.8 oz	1/2"-28 tpi Taper-Lok Direct Thread	Inconel 718 and Stainless Steel
MODX RIFLE SILENCERS							
MIL-MODX556	5.56 NATO	N/A	N/A	N/A	N/A	N/A	N/A
MIL-MODX762	7.62 NATO / .300 WM 300BLK	N/A	N/A	N/A	N/A	N/A	N/A
PISTOL SILENCERS							
MOD-X9	Multi-Caliber 9mm / 45 Auto	82.5-196.8 mm / 3.25-7.75 in	N/A	0.14-0.22 kg / 5.0-8.0 oz	N/A	.578X28 and M16X1LH	Segmented Titanium 3D Printed
MIL-SRD9-MPX	9mm	175 x 35 mm / 6.9 x 1.38 in	N/A	0.29 kg / 9.9 oz	0.19 kg / 6.9 oz	1/2"-28 tpi and M13.5x1LH	Grade 9 Titanium and 17-4 Stainless Steel Baffles

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

PISTOL

SUPPRESSORS

The newest pistol suppressor line from SIG SAUER features completely modular and configurable titanium baffles for the ultimate in lightweight performance that allows the user to personalize their suppressor for overall length, weight, and sound. The MOD-X9 and MOD-X45 provide class-leading sound performance, and can be easily disassembled and reconfigured with fewer baffles when your priority is size over sound. The MOD-X suppressors feature 21 points of impact adjustment and come with a fixed barrel spacer for carbine use. Each MOD-X suppressor includes the most popular inch and metric piston for its given caliber.




MOD-X9

9MM
MOD-X9

- ▶ User-Serviceable
- ▶ Titanium Baffles
- ▶ Shooter can adjust the number of baffles to make the overall length when size is more important than sound performance
- ▶ Includes Two Pistons (1/2"x28tpi & M13.5x1LH) and Fixed Barrel Spacer





MOD-X9 P226 Using 147gr

ALL SPECIFICATIONS SUBJECT TO CHANGE + OR MINUS 10% | VISIT SIGSAUER.COM FOR ADDITIONAL INFORMATION.

TRAINING

SIG SAUER® TRAINING

SIG AIR ProForce products are designed as replicas of their centerfire counterparts in look, balance, handling characteristics, and are engineered to SIG standards for precision, accuracy, and reliability.

PROFORCE™

AIRSOFT TRAINING



SIG MCX AIRSOFT

- ▶ Similar in look and feel to the SIG MCX Virtus SBR Firearm
- ▶ Requires 11.1V Lithium Ion Battery (Battery not Included)
- ▶ Telescoping Stock
- ▶ Fully Automatic AEG (Automatic Electric Gun)
- ▶ 120rd Magazine, for Best Results use 6mm, .20gr Polymer Biodegradable BBs
- ▶ Adjustable Hop-up
- ▶ Up to 370 FPS



P320-M17 AIRSOFT

- ▶ Similar in look and feel to the U.S. Army Issued P320- M17
- ▶ Full Blowback Metal Slide
- ▶ Powered by 12g CO2 or Green Gas, Magazines for Green Gas and CO2 are Interchangeable in the same Pistol
- ▶ Drop Free Magazine
- ▶ Field Strips Like the U.S. Army M17 Pistol
- ▶ 21rd Magazine, for Best Results use 6mm, .20gr Polymer Biodegradable BBs
- ▶ Optional Optic Plate mount for Red Dot Sights
- ▶ Up to 320 FPS w/Green Gas and 410 FPS w/ CO2



Selected by the U.S. Coast Guard for training.

P229 AIRSOFT

- ▶ Full Blowback Metal Slide
- ▶ Full Metal Slide, Frame, Barrel and Magazine
- ▶ Powered by 12g CO2 or Green Gas, Magazines for Green Gas and CO2 are Interchangeable in the same Pistol
- ▶ 1:1 Replica of the SIG SAUER P229 Pistol
- ▶ 25rd Magazine, for Best Results use 6mm, .20gr Polymer Biodegradable BBs
- ▶ Fixed Front and Rear White Dot Sights
- ▶ Up to 320 FPS w/Green Gas and 410 FPS w/ CO2



Ultimate Training Munitions

AS REAL AS IT GETS

Ultimate Training Munitions is the world leader in providing law enforcement communities with the most realistic and non-lethal force-on-force, short range training system. Police officers around the world have placed their trust in UTM to deliver realistic training. Professionals whose lives depend on the best training possible know that they can always count on the safest, most accurate, and most reliable non-lethal training ammunition available.

UTM PISTOL CONVERSION KITS

- ▶ Easy to Install
- ▶ Simple Exchange of Slide and Barrel, or Slide Assembly
- ▶ Feel and Function of "Live" Ammunition
- ▶ Unique Chamber Profile That Will Not Allow "Live/Lethal" Ammunition to Completely Chamber
- ▶ Great for Law Enforcement and Military Communities
- ▶ Fits P320 Full-Size, Compact, Carry in 9mm, and .40S&W
- ▶ Also Available for the Following SIG SAUER Models: P226, P228/P229, SP2022



SIG MCX CONVERSION

Kits Available in 5.56



SIG MCX UTM RIFLE CONVERSION KIT

- ▶ Easy to Install
- ▶ Simple Exchange of the Bolt and Carrier Assembly
- ▶ Feel and Function of "Live" Ammunition
- ▶ Offset Firing Pin design Strikes Outside of "Live/Lethal" Ammunition Primer Pocket for Added Safety while Using UTM Ammunition
- ▶ Includes Bolt Carrier and Blue Training Magazine
- ▶ Great for Law Enforcement and Military Communities



SIG516/SIG400 UTM RIFLE CONVERSION KIT

- ▶ Easy to Install
- ▶ Simple Exchange of the Bolt Carrier Group
- ▶ Feel and Function of "Live" Ammunition
- ▶ Offset Firing Pin Design Strikes Outside of "Live/Lethal" Ammunition Primer Pocket for Added Safety while Using UTM Ammunition
- ▶ Includes Bolt and Blue Training Magazine
- ▶ Great for Law Enforcement and Military Communities

To learn more, visit utmworldwide.com/sigpistols

TRAINING

The SIG SAUER AcademySM is internationally recognized for the use of superior training techniques with unmatched results. Armed professionals and responsible citizens continuously choose to train at the SIG SAUER Academy for all their firearms, tactical, and related training needs.



SIG SAUER ACADEMY COURSES

When it comes to the use of firearms in any situation, a person will rarely rise to the occasion, but instead will default to the level of their training. It's this principle, and this reality that we at the SIG SAUER AcademySM have dedicated ourselves. With a team of world-class instructors from a broad range of backgrounds, the SIG SAUER Academy provides the finest firearms and tactics training available today. Using our adaptive, performance-based training methods we can help develop and expand the abilities of virtually any level of firearms user from beginners to the most experienced. Our nearly 150 acre, state-of-the-art facility provides us the ability to train in nearly every discipline, creating almost any type of environment, helping to prepare for practically any situation.

The SIG SAUER Academy and its staff of professionals is committed to delivering the most realistic, fundamentally sound training experience possible, with a promise to improve the skills of everyone who trains with us, guaranteed. It's a promise we don't make lightly, knowing that those who come here rely on us to give them the best training available. They refuse to settle for anything less, and so do we.

MILITARY AND LAW ENFORCEMENT TRAINING

SIG SAUER Academy is dedicated to providing the highest level of global training for military and law enforcement professionals. Any course can be conducted remotely or customized to meet agency or department needs. Custom course design and implementation allow for any desired capability and duration of training.

ENHANCED TRAINING

Enhanced training courses help provide students the knowledge and skills to improve their performance in a chaotic environment. These courses include specific subjects such as medical training, executive protection, vehicle, and scenario-based training. Each course will teach the student how to make good decisions with confidence under high stress scenarios.

ARMORER CERTIFICATION

Armorer's certification courses give the student a complete understanding of SIG SAUER firearms, proper maintenance, and inspection, in order to preserve the factory warranty. Students who successfully complete these courses receive a three year armorer certification.

For course descriptions, class schedules, and more information, visit: sigsaueracademy.com



SIG SAUER[®] ACADEMY



TRAIN WITH THE PROFESSIONALS.



SIG SAUER, Inc. • 72 Pease Boulevard • Newington, NH 03801 USA • +1 (603) 610-3000
An ISO 9001:2015 Certified Company. Manufacturing in the U.S.A.

All trademarks, service marks, trade names, trade dress, product names and logos appearing in this catalog are the property of their respective owners. No trademark or service mark appearing in this catalog may be used without the prior written consent of the owner.